

SUBSTITUTE FORM PTO-1390 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER 00537-186002
<b>TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371</b>		U.S. APPLICATION NO. (If Known, see 37 CFR 1.5) <div style="font-size: 1.5em; font-weight: bold;">09/857636</div>
INTERNATIONAL APPLICATION NO. PCT/EP99/09660	INTERNATIONAL FILING DATE 7 December 1999	PRIORITY DATE CLAIMED 7 December 1998
TITLE OF INVENTION ANALOGUES OF GLP-1		
APPLICANT(S) FOR DO/EO/US Zheng Xin Dong		
<p>Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:</p> <ol style="list-style-type: none"> <li>1. <input checked="" type="checkbox"/> This is a <b>FIRST</b> submission of items concerning a filing under 35 U.S.C. 371.</li> <li>2. <input type="checkbox"/> This is a <b>SECOND</b> or <b>SUBSEQUENT</b> submission of items concerning a filing under 35 U.S.C. 371.</li> <li>3. <input type="checkbox"/> This is an express request to promptly begin national examination procedures (35 U.S.C. 371(f)).</li> <li>4. <input type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (PCT Article 31).</li> <li>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2))           <ol style="list-style-type: none"> <li>a. <input checked="" type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau).</li> <li>b. <input type="checkbox"/> has been communicated by the International Bureau.</li> <li>c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US).</li> </ol> </li> <li>6. <input type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).</li> <li>7. <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))           <ol style="list-style-type: none"> <li>a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau).</li> <li>b. <input type="checkbox"/> have been communicated by the International Bureau.</li> <li>c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</li> <li>d. <input type="checkbox"/> have not been made and will not be made.</li> </ol> </li> <li>8. <input type="checkbox"/> An English language translation of amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</li> <li>9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</li> <li>10. <input type="checkbox"/> An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</li> </ol> <p><b>Items 11 to 16 below concern other documents or information included:</b></p> <ol style="list-style-type: none"> <li>11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</li> <li>12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</li> <li>13. <input checked="" type="checkbox"/> A <b>FIRST</b> preliminary amendment.  <input type="checkbox"/> A <b>SECOND</b> or <b>SUBSEQUENT</b> preliminary amendment.</li> <li>14. <input type="checkbox"/> A substitute specification.</li> <li>15. <input type="checkbox"/> A change of power of attorney and/or address letter.</li> <li>16. <input checked="" type="checkbox"/> Other items or information:           <div style="margin-left: 20px;"> <input checked="" type="checkbox"/> Copy of Written Opinion  <input checked="" type="checkbox"/> Copy of the International Search Report.  <input checked="" type="checkbox"/> Copy of the International Preliminary Examination Report.  <input checked="" type="checkbox"/> Copy of the Sequence Listing  <input type="checkbox"/> </div> </li> </ol>		

**CERTIFICATE OF MAILING BY EXPRESS MAIL** Express Mail Label No EL 485514251 US

I hereby certify under 37 CFR § 1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231

*June 7, 2001*


Date of Deposit

*Samantha Bell*

Signature

*Samantha Bell*

Typed Name of Person Signing

U.S. APPLICATION NO. (IF KNOWN) <b>09/857636</b>		INTERNATIONAL APPLICATION NO. PCT/EP99/09660		ATTORNEY'S DOCKET NUMBER 00537-186002	
17. <input checked="" type="checkbox"/> The following fees are submitted: <b>Basic National Fee ( 37 CFR 1.492(a)(1)-(5) ):</b>  Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO ..... <b>\$1000</b>  International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ..... <b>\$860</b>  International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... <b>\$710</b>  International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... <b>\$690</b>  International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) ..... <b>\$100</b>  <div style="text-align: right;"><b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b></div>				<b>CALCULATIONS</b> PTO USE ONLY	
				\$860.00	
				\$0.00	
				\$18.00	
Surcharge of <b>\$130</b> for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$0.00	
Claims	Number Filed	Number Extra	Rate		
Total Claims	21 - 20 =	1	x \$18	\$18.00	
Independent Claims	1 - 3 =		x \$80	\$0.00	
MULTIPLE DEPENDENT CLAIMS(S) (if applicable)			+ \$270	\$270.00	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				\$1,148.00	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				\$0.00	
<b>SUBTOTAL =</b>				\$1,148.00	
Processing fee of <b>\$130</b> for furnishing the English Translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f))				\$0.00	
<b>TOTAL NATIONAL FEE =</b>				\$1,148.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). <b>\$40.00</b> per property +				\$0.00	
<b>TOTAL FEES ENCLOSED =</b>				\$1,148.00	
				Amount to be refunded:	\$
				Charged:	\$
a. <input checked="" type="checkbox"/> A check in the amount of \$1,148.00 to cover the above fees is enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. 06-1050 in the amount of \$0.00 to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 06-1050. A duplicate copy of this sheet is enclosed.					
<b>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive          (37 CFR 1.137(a) or (b) must be filed and granted to restore the application to pending status.</b>					
SEND ALL CORRESPONDENCE TO:					
Jeffrey D. Hsi FISH & RICHARDSON P.C. 225 Franklin Street Boston, MA 02110-2804 (617) 542-5070 phone (617) 542-8906 facsimile			 SIGNATURE		
			NAME		
			40,024		
			REGISTRATION NUMBER		

#4

## IN THE UNITED STATES RECEIVING OFFICE

Applicant : ZHENG X. DONG  
 Serial No. : 09/857,636  
 Filed : June 7, 2001  
 Title : ANALOGUES OF GLP-1

**BOX PCT**

Commissioner for Patents  
 Washington, D.C. 20231

RESPONSE TO NOTIFICATION OF MISSING REQUIREMENTS

Responsive to the Notification of Missing Requirements under 35 U.S.C. 371 mailed July 19, 2001, Applicant as a large entity submits herewith the following:

- ☐ Payment of the basic filing fee of \$0;
- ☐ Payment of the additional/multiple dependent claims fees of \$0;
- ☒ Payment of the surcharge of \$130 for late filing of the basic filing fee and/or declaration.
- ☒ A check in the total amount of \$130 is attached.
- ☐ A Verified Statement Claiming Small Entity Status;
- ☒ A Combined Declaration and Power of Attorney in compliance with 37 CFR §1.63;
- ☐ A verified English translation of the application and payment of the \$0 fee required under 37 CFR §1.17(k); and
- ☐ Other:

01/20/2002 WEDUWJE 00000064 09857636

01 FC:154

130.00 OP

## CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL 485514407 US

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit

Signature

Typed or Printed Name of Person Signing Certificate

11-2-01  
 Henry Jenkins  
 Henry Jenkins

09/857636

Attorney's Docket No.: 00537-186002 / BPC089/WO

531 Rec'd PC

07 JUN 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : ZHENG X. DONG  
In'tl No. : PCT/EP99/09660  
Filed : December 7, 1999  
Title : ANALOGUES OF GLP-1

Art Unit : Unknown  
Examiner : Unknown

Commissioner for Patents  
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Prior to examination, please amend this U.S. national phase application under 35 U.S.C. 371 of the above-identified international application as follows:

In the specification:

Insert after the title:

-- Cross-Reference to Related Applications

This application is a national phase application filed under 35 U.S.C. 371 of International Application No. PCT/EP99/09660, filed December 7, 1999, which claims the benefit of U.S. application No. 60/111,255, filed December 7, 1998, the contents of which are incorporated herein by reference. --

In the claims:

Amend claim 17 as follows:

-- 17. Use of a compound as claimed in any of claims 1, 9, or 15, in the preparation of a medicament for the treatment of disease. --

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL 485514251 US

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit

June 7, 2001

Signature

Samantha Bell

Samantha Bell

Typed or Printed Name of Person Signing Certificate

09857636 "110201

Applicant : ZHENG X. DONG  
Serial No. :  
Filed :  
Page : 2

Attorney's Docket No.: 00537-186002 / BPC089/WO

REMARKS

Applicants submit claims 1-18 for examination. Claim 17 is amended to depend from any one of claims 1, 9, or 15. This amendment, made without waiver or prejudice, is supported in the specification and claims of International Application Serial No. PCT/EP99/09660, as originally filed and does not add new matter. Applicants also request amendment of the specification to reference U.S. Application Serial No. 60/111,255, filed December 7, 1998, from which this application claims priority.

Attached is a marked-up version of the changes being made by the current amendment.

Applicant asks that all claims be examined. Please apply any other charges or credits to Deposit Account No. 06-1050, referencing attorney docket number 00537-186002.

Respectfully submitted,

Date: June 7, 2001

Jeffrey D. Fisi  
Jeffrey D. Fisi  
Reg. No. 40,024

Fish & Richardson P.C.  
225 Franklin Street  
Boston, MA 02110-2804  
Telephone: (617) 542-5070  
Facsimile: (617) 542-8906

00537-186002

Applicant : ZHENG X. DONG  
Serial No. :  
Filed :  
Page : 3

Attorney's Docket No.: 00537-186002 / BPC089/WO

09/857636

531 REC'D PC

07 JUN 2001

**Version with markings to show changes made**

In the specification:

Immediately after the title, the following paragraph has been inserted:

Cross-Reference to Related Applications

This application is a national phase application filed under 35 U.S.C. 371 of International Application No. PCT/EP99/09660, filed December 7, 1999, which claims the benefit of U.S. application No. 60/111,255, filed December 7, 1998, the contents of which are incorporated herein by reference.

In the claims:

Claim 17 has been amended as follows:

17. Use of a compound as claimed in any of claims [1 to 10, or 15 or 16]1, 9, or 15, in the preparation of a medicament for the treatment of disease.

09857636-110201

Rec'd PCT/PTO 07 JUN 2001

ANALOGUES OF GLP-1Background of the Invention

5 The present invention is directed to peptide analogues of glucagon-like peptide-1, the pharmaceutically-acceptable salts thereof, to methods of using such analogues to treat mammals and to pharmaceutical compositions useful therefor comprising said analogues.

10 Glucagon-like peptide-1 (7-36) amide (GLP-1) is synthesized in the intestinal L-cells by tissue-specific post-translational processing of the glucagon precursor preproglucagon (Varndell, J.M., et al., J. Histochem Cytochem, 1985:33:1080-6) and is released into the circulation in response to a meal. The plasma concentration of GLP-1 rises from a fasting level of approximately 15 pmol/L to a peak postprandial level of 40 pmol/L. It has been demonstrated that, for  
15 a given rise in plasma glucose concentration, the increase in plasma insulin is approximately threefold greater when glucose is administered orally compared with intravenously (Kreymann, B., et al., Lancet 1987:2, 1300-4). This alimentary enhancement of insulin release, known as the incretin effect, is primarily humoral and GLP-1 is now thought to be the most potent physiological incretin in humans.  
20 In addition to the insulinotropic effect, GLP-1 suppresses glucagon secretion, delays gastric emptying (Wettergren A., et al., Dig Dis Sci 1993:38:665-73) and may enhance peripheral glucose disposal (D'Alessio, D.A. et al., J. Clin Invest 1994:93:2293-6).

25 In 1994, the therapeutic potential of GLP-1 was suggested following the observation that a single subcutaneous (s/c) dose of GLP-1 could completely normalize postprandial glucose levels in patients with non-insulin-dependent diabetes mellitus (NIDDM) (Gutniak, M.K., et al., Diabetes Care 1994:17:1039-44). This effect was thought to be mediated both by increased insulin release and by a reduction in glucagon secretion. Furthermore, an intravenous infusion of GLP-1 has  
30 been shown to delay postprandial gastric emptying in patients with NIDDM (Williams, B., et al., J. Clin Endo Metab 1996:81:327-32). Unlike sulphonylureas, the insulinotropic action of GLP-1 is dependent on plasma glucose concentration (Holz, G.G. 4<sup>th</sup>, et al., Nature 1993:361:362-5). Thus, the loss of GLP-1-mediated insulin release at low plasma glucose concentration protects against severe


hypoglycemia. This combination of actions gives GLP-1 unique potential therapeutic advantages over other agents currently used to treat NIDDM.

Numerous studies have shown that when given to healthy subjects, GLP-1 potentially influences glycemic levels as well as insulin and glucagon concentrations (Orskov, C, *Diabetologia* 35:701-711, 1992; Holst, J.J., et al., Potential of GLP-1 in diabetes management in *Glucagon III, Handbook of Experimental Pharmacology*, Lefebvre PJ, Ed. Berlin, Springer Verlag, 1996, p. 311-326), effects which are glucose dependent (Kreymann, B., et al., *Lancet* ii: 1300-1304, 1987; Weir, G.C., et al., *Diabetes* 38:338-342, 1989). Moreover, it is also effective in patients with diabetes (Gutniak, M., *N. Engl J Med* 226:1316-1322, 1992; Nathan, D.M., et al., *Diabetes Care* 15:270-276, 1992), normalizing blood glucose levels in type 2 diabetic subjects (Nauck, M.A., et al., *Diabetologia* 36:741-744, 1993), and improving glycemic control in type 1 patients (Creutzfeldt, W.O., et al., *Diabetes Care* 19:580-586, 1996), raising the possibility of its use as a therapeutic agent.

GLP-1 is, however, metabolically unstable, having a plasma half-life ( $t_{1/2}$ ) of only 1-2 min *in vivo*. Exogenously administered GLP-1 is also rapidly degraded (Deacon, C.F., et al., *Diabetes* 44:1126-1131, 1995). This metabolic instability limits the therapeutic potential of native GLP-1. Hence, there is a need for GLP-1 analogues that are more active or are more metabolically stable than native GLP-1.

#### Summary of the Invention

In one aspect, the present invention is directed to a compound of formula (I),



(I)

wherein

$A^7$  is L-His, Ura, Paa, Pta, Amp, Tma-His, des-amino-His, or deleted;

$A^8$  is Ala, D-Ala, Aib, Acc, N-Me-Ala, N-Me-D-Ala or N-Me-Gly;

$A^9$  is Glu, N-Me-Glu, N-Me-Asp or Asp;

$A^{10}$  is Gly, Acc,  $\beta$ -Ala or Aib;

$A^{11}$  is Thr or Ser;

$A^{12}$  is Phe, Acc, Aic, Aib, 3-Pal, 4-Pal,  $\beta$ -Nal, Cha, Trp or  $X^1$ -Phe;



$A^{13}$  is Thr or Ser;

$A^{14}$  is Ser or Aib;



- A<sup>15</sup> is Asp or Glu;  
 A<sup>16</sup> is Val, Acc, Aib, Leu, Ile, Tle, Nle, Abu, Ala or Cha;  
 A<sup>17</sup> is Ser or Thr;  
 A<sup>18</sup> is Ser or Thr;
- 5 A<sup>19</sup> is Tyr, Cha, Phe, 3-Pal, 4-Pal, Acc,  $\beta$ -Nal or X<sup>1</sup>-Phe;  
 A<sup>20</sup> is Leu, Acc, Aib, Nle, Ile, Cha, Tle, Val, Phe or X<sup>1</sup>-Phe;  
 A<sup>21</sup> is Glu or Asp;  
 A<sup>22</sup> is Gly, Acc,  $\beta$ -Ala, Glu or Aib;  
 A<sup>23</sup> is Gln, Asp, Asn or Glu;
- 10 A<sup>24</sup> is Ala, Aib, Val, Abu, Tle or Acc;  
 A<sup>25</sup> is Ala, Aib, Val, Abu, Tle, Acc, Lys, Arg, hArg, Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O) or HN-CH((CH<sub>2</sub>)<sub>e</sub>-X<sup>3</sup>)-C(O);  
 A<sup>26</sup> is Lys, Arg, hArg, Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O) or HN-CH((CH<sub>2</sub>)<sub>e</sub>-X<sup>3</sup>)-C(O);
- 15 A<sup>27</sup> is Glu Asp, Leu, Aib or Lys;  
 A<sup>28</sup> is Phe, Pal,  $\beta$ -Nal, X<sup>1</sup>-Phe, Aic, Acc, Aib, Cha or Trp;  
 A<sup>29</sup> is Ile, Acc, Aib, Leu, Nle, Cha, Tle, Val, Abu, Ala or Phe;  
 A<sup>30</sup> is Ala, Aib or Acc;  
 A<sup>31</sup> is Trp,  $\beta$ -Nal, 3-Pal, 4-Pal, Phe, Acc, Aib or Cha;
- 20 A<sup>32</sup> is Leu, Acc, Aib, Nle, Ile, Cha, Tle, Phe, X<sup>1</sup>-Phe or Ala;  
 A<sup>33</sup> is Val, Acc, Aib, Leu, Ile, Tle, Nle, Cha, Ala, Phe, Abu, Lys or X<sup>1</sup>-Phe;  
 A<sup>34</sup> is Lys, Arg, hArg, Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O) or HN-CH((CH<sub>2</sub>)<sub>e</sub>-X<sup>3</sup>)-C(O);  
 A<sup>35</sup> is Gly,  $\beta$ -Ala, D-Ala, Gaba, Ava, HN-(CH<sub>2</sub>)<sub>m</sub>-C(O), Aib, Acc or a D-amino acid;
- 25 A<sup>36</sup> is L- or D-Arg, D- or L-Lys, D- or L-hArg, D- or L-Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O), HN-CH((CH<sub>2</sub>)<sub>e</sub>-X<sup>3</sup>)-C(O) or deleted;  
 A<sup>37</sup> is Gly,  $\beta$ -Ala, Gaba, Ava, Aib, Acc, Ado, Arg, Asp, Aun, Aec, HN-(CH<sub>2</sub>)<sub>m</sub>-C(O), HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O), a D-amino acid, or deleted;  
 A<sup>38</sup> is D- or L-Lys, D- or L-Arg, D- or L-hArg, D- or L-Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O), HN-CH((CH<sub>2</sub>)<sub>e</sub>-X<sup>3</sup>)-C(O) Ava, Ado, Aec or deleted;
- 30 A<sup>39</sup> is D- or L-Lys, D- or L-Arg, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O), Ava, Ado, or Aec;  
 X<sup>1</sup> for each occurrence is independently selected from the group consisting of (C<sub>1</sub>-C<sub>6</sub>)alkyl, OH and halo;



R<sup>1</sup> is OH, NH<sub>2</sub>, (C<sub>1</sub>-C<sub>30</sub>)alkoxy, or NH-X<sup>2</sup>-CH<sub>2</sub>-Z<sup>0</sup>, wherein X<sup>2</sup> is a (C<sub>1</sub>-C<sub>12</sub>)hydrocarbon moiety, and Z<sup>0</sup> is H, OH, CO<sub>2</sub>H or CONH<sub>2</sub>;



- 5 or -C(O)-NHR<sup>12</sup>, wherein X<sup>4</sup> is, independently for each occurrence, -C(O)-, -NH-C(O)- or -CH<sub>2</sub>-, and wherein f is, independently for each occurrence, an integer from 1 to 29 inclusive;

each of R<sup>2</sup> and R<sup>3</sup> is independently selected from the group consisting of H, (C<sub>1</sub>-C<sub>30</sub>)alkyl, (C<sub>2</sub>-C<sub>30</sub>)alkenyl, phenyl(C<sub>1</sub>-C<sub>30</sub>)alkyl, naphthyl(C<sub>1</sub>-C<sub>30</sub>)alkyl, hydroxy(C<sub>1</sub>-C<sub>30</sub>)alkyl, hydroxy(C<sub>2</sub>-C<sub>30</sub>)alkenyl, hydroxyphenyl(C<sub>1</sub>-C<sub>30</sub>)alkyl, and

10 hydroxynaphthyl(C<sub>1</sub>-C<sub>30</sub>)alkyl; or one of R<sup>2</sup> and R<sup>3</sup> is 
$$(\text{CH}_3)_2 - \text{N} - \overset{\uparrow}{\text{C}} = \overset{+}{\text{N}} (\text{CH}_3)_2$$
, (C<sub>1</sub>-



; wherein Y is H, OH or NH<sub>2</sub>; r is 0 to 4; q is 0 to 4;


- 15 and X<sup>5</sup> is (C<sub>1</sub>-C<sub>30</sub>)alkyl, (C<sub>2</sub>-C<sub>30</sub>)alkenyl, phenyl(C<sub>1</sub>-C<sub>30</sub>)alkyl, naphthyl(C<sub>1</sub>-C<sub>30</sub>)alkyl, hydroxy(C<sub>1</sub>-C<sub>30</sub>)alkyl, hydroxy(C<sub>2</sub>-C<sub>30</sub>)alkenyl, hydroxyphenyl(C<sub>1</sub>-C<sub>30</sub>)alkyl or hydroxynaphthyl(C<sub>1</sub>-C<sub>30</sub>)alkyl;

e is, independently for each occurrence, an integer from 1 to 4 inclusive;

m is, independently for each occurrence, an integer from 5 to 24 inclusive;

n is, independently for each occurrence, an integer from 1 to 5, inclusive;

- 20 each of R<sup>10</sup> and R<sup>11</sup> is, independently for each occurrence, H, (C<sub>1</sub>-C<sub>30</sub>)alkyl, (C<sub>1</sub>-C<sub>30</sub>)acyl, (C<sub>1</sub>-C<sub>30</sub>)alkylsulfonyl, -C((NH)(NH<sub>2</sub>)) or




; and

R<sup>12</sup> and R<sup>13</sup> each is, independently for each occurrence, (C<sub>1</sub>-C<sub>30</sub>)alkyl;

provided that:

when A<sup>7</sup> is Ura, Paa or Pta, then R<sup>2</sup> and R<sup>3</sup> are deleted;

when R<sup>10</sup> is (C<sub>1</sub>-C<sub>30</sub>)acyl, (C<sub>1</sub>-C<sub>30</sub>)alkylsulfonyl, -C((NH)(NH<sub>2</sub>)) or



, then R<sup>11</sup> is H or (C<sub>1</sub>-C<sub>30</sub>)alkyl;

- 5 (i) at least one amino acid of a compound of formula (I) is not the same as the native sequence of hGLP-1(7-36, -37 or -38)NH<sub>2</sub> or hGLP-1(7-36, -37 or -38)OH;
- (ii) a compound of formula (I) is not an analogue of hGLP-1(7-36, -37 or -38)NH<sub>2</sub> or hGLP-1(7-36, -37 or -38)OH wherein a single position has been substituted by Ala;
- (iii) a compound of formula (I) is not (Arg<sup>26,34</sup>, Lys<sup>38</sup>)hGLP-1(7-38)-E, (Lys<sup>26</sup>(N<sub>e</sub>-alkanoyl))hGLP-1(7-36, -37 or -38)-E, (Lys<sup>34</sup>(N<sub>e</sub>-alkanoyl))hGLP-1(7-36, -37 or -38)-E, (Lys<sup>26,34</sup>-bis(N<sub>e</sub>-alkanoyl))hGLP-1(7-36, -37 or -38)-E, (Arg<sup>26</sup>, Lys<sup>34</sup>(N<sub>e</sub>-alkanoyl))hGLP-1(8-36, -37 or -38)-E, (Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>e</sub>-alkanoyl))hGLP-1(7-36, -37 or -38)-E or (Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sub>e</sub>-alkanoyl))hGLP-1(7-38)-E, wherein E is -OH or -NH<sub>2</sub>;
- 10 (iv) a compound of formula (I) is not Z<sup>1</sup>-hGLP-1(7-36, -37 or -38)-OH, Z<sup>1</sup>-hGLP-1(7-36, -37 or -38)-NH<sub>2</sub>, wherein Z<sup>1</sup> is selected from the group consisting of:
  - (a) (Arg<sup>26</sup>), (Arg<sup>34</sup>), (Arg<sup>26,34</sup>), (Lys<sup>36</sup>), (Arg<sup>26</sup>, Lys<sup>36</sup>), (Arg<sup>34</sup>, Lys<sup>36</sup>), (D-Lys<sup>36</sup>), (Arg<sup>36</sup>), (D-Arg<sup>36</sup>), (Arg<sup>26,34</sup>, Lys<sup>36</sup>) or (Arg<sup>26,36</sup>, Lys<sup>34</sup>);
  - (b) (Asp<sup>21</sup>);
  - (c) at least one of (Aib<sup>8</sup>), (D-Ala<sup>8</sup>) and (Asp<sup>9</sup>); and
  - 20 (d) (Tyr<sup>7</sup>), (N-acyl-His<sup>7</sup>), (N-alkyl-His<sup>7</sup>), (N-acyl-D-His<sup>7</sup>) or (N-alkyl-D-His<sup>7</sup>);
- (v) a compound of formula (I) is not a combination of any two of the substitutions listed in groups (a) to (d); and
- (vi) a compound of formula (I) is not (N-Me-Ala<sup>8</sup>)hGLP-1(8-36 or -37), (Glu<sup>15</sup>)hGLP-1(7-36 or -37), (Asp<sup>21</sup>)hGLP-1(7-36 or -37) or (Phe<sup>31</sup>)hGLP-1(7-36 or -37)
- 25 or a pharmaceutically acceptable salt thereof.

A preferred group of compounds of the immediately foregoing compound is where A<sup>11</sup> is Thr; A<sup>13</sup> is Thr; A<sup>15</sup> is Asp; A<sup>17</sup> is Ser; A<sup>18</sup> is Ser or Lys; A<sup>21</sup> is Glu; A<sup>23</sup> is Gln or Glu; A<sup>27</sup> is Glu, Leu, Aib or Lys; and A<sup>31</sup> is Trp, Phe or β-Nal; or a pharmaceutically acceptable salt thereof.


- 30 A preferred group of compounds of the immediately foregoing group of compounds is where A<sup>9</sup> is Glu, N-Me-Glu or N-Me-Asp; A<sup>12</sup> is Phe, Acc, β-Nal or Aic; A<sup>16</sup> is Val, Acc or Aib; A<sup>19</sup> is Tyr or β-Nal; A<sup>20</sup> is Leu, Acc or Cha; A<sup>24</sup> is Ala, Aib

or Acc; A<sup>25</sup> is Ala, Aib, Acc, Lys, Arg, hArg, Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O) or HN-CH((CH<sub>2</sub>)<sub>e</sub>-X<sup>3</sup>)-C(O); A<sup>28</sup> is Phe or β-Nal; A<sup>29</sup> is Ile or Acc; A<sup>30</sup> is Ala or Aib; A<sup>32</sup> is Leu, Acc or Cha; and A<sup>33</sup> is Val, Lys or Acc; or a pharmaceutically acceptable salt thereof.

5 A preferred group of compounds of the immediately foregoing group of compounds is where A<sup>8</sup> is Ala, D-Ala, Aib, A6c, A5c, N-Me-Ala, N-Me-D-Ala or N-Me-Gly; A<sup>10</sup> is Gly; A<sup>12</sup> is Phe, β-Nal, A6c or A5c; A<sup>16</sup> is Val, A6c or A5c; A<sup>20</sup> is Leu, A6c, A5c or Cha; A<sup>22</sup> is Gly, β-Ala, Glu or Aib; A<sup>24</sup> is Ala or Aib; A<sup>29</sup> is Ile, A6c or A5c; A<sup>32</sup> is Leu, A6c, A5c or Cha; A<sup>33</sup> is Val, Lys, A6c or A5c; A<sup>35</sup> is Aib, β-Ala, Ado, A6c, A5c, D-Arg or Gly; and A<sup>37</sup> is Gly, Aib, β-Ala, Ado, D-Ala, Ava, Asp, Aun, D-Asp, D-Arg, Aec, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O) or deleted; or a pharmaceutically acceptable salt thereof.


15 A preferred group of compounds of the immediately foregoing group of compounds is where X<sup>4</sup> for each occurrence is -C(O)-; and R<sup>1</sup> is OH or NH<sub>2</sub>; or a pharmaceutically acceptable salt thereof.

A preferred group of compounds of the immediately foregoing group of compounds or a pharmaceutically acceptable salt thereof is where R<sup>2</sup> is H and R<sup>3</sup> is (C<sub>1</sub>-C<sub>30</sub>)alkyl, (C<sub>2</sub>-C<sub>30</sub>)alkenyl, (C<sub>1</sub>-C<sub>30</sub>)acyl, (C<sub>1</sub>-C<sub>30</sub>)alkylsulfonyl,



20 A preferred compound of the formula (I) is where A<sup>8</sup> is Ala, D-Ala, Aib, A6c, A5c, N-Me-Ala, N-Me-D-Ala or N-Me-Gly; A<sup>10</sup> is Gly; A<sup>12</sup> is Phe, β-Nal A6c or A5c; A<sup>16</sup> is Val, A6c or A5c; A<sup>20</sup> is Leu, A6c, A5c or Cha; A<sup>22</sup> is Gly, β-Ala, Glu or Aib; A<sup>24</sup> is Ala or Aib; A<sup>29</sup> is Ile, A6c or A5c; A<sup>32</sup> is Leu, A6c, A5c or Cha; A<sup>33</sup> is Val, Lys, A6c or A5c; A<sup>35</sup> is Aib, β-Ala, Ado, A6c, A5c D-Arg or Gly; and A<sup>37</sup> is Gly, Aib, β-Ala, Ado, D-Ala, Ava, Asp, Aun, D-Asp, D-Arg, Aec, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O) or deleted; X<sup>4</sup> for each occurrence is -C(O)-; e for each occurrence is independently 1 or 2; R<sup>1</sup> is OH or NH<sub>2</sub>; R<sup>10</sup> is (C<sub>1</sub>-C<sub>30</sub>)acyl, (C<sub>1</sub>-C<sub>30</sub>)alkylsulfonyl or

-7-



, and  $\text{R}^{11}$  is H; or a pharmaceutically acceptable salt thereof.

More preferred of the immediately foregoing compounds is where  $\text{R}^{10}$  is ( $\text{C}_4$ -



$\text{C}_{20}$ )acyl, ( $\text{C}_4$ - $\text{C}_{20}$ )alkylsulfonyl or , or a

5 pharmaceutically acceptable salt thereof.

A more preferred compound of formula (I) is where said compound is of the formula:

(Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub>,

((N<sub>α</sub>-HEPES-His)<sup>7</sup>, Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub>,

10 ((N<sub>α</sub>-HEPA-His)<sup>7</sup>, Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-38)NH<sub>2</sub>,

15 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-dodecanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>36</sup>(1-(4-tetradecyl-piperazine)))hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>36</sup>(1-tetradecylamino))hGLP-1(7-36)NH<sub>2</sub>,

20 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-tetradecanoyl), β-Ala<sup>37</sup>)hGLP-1(7-37)-OH or

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-36)-OH,

or a pharmaceutically acceptable salt thereof .

More preferred of the immediately foregoing group of compounds is a compound of the formula:

25 (Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>,

(Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-38)NH<sub>2</sub>,

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>, or

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl),β-Ala<sup>37</sup>)hGLP-1(7-37) -OH, or a pharmaceutically acceptable salt thereof.

Another more preferred compound of formula (I) is where said compound is of the formula:

- 5 (Aib<sup>8,35</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Glu<sup>23</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;
- 10 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)OH;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)OH;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-Aec-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;
- 15 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Ava<sup>37</sup>, Ado<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>37</sup>, Ava<sup>38</sup>, Ado<sup>39</sup>)hGLP-1(7-39)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Aun<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>;  
 (Aib<sup>8,17,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, D-Asp<sup>37</sup>, Ava<sup>38</sup>, Aun<sup>39</sup>)hGLP-1(7-39)NH<sub>2</sub>;
- 20 (Gly<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Ser<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Glu<sup>22,23</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Gly<sup>8</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>18</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;
- 25 (Aib<sup>8</sup>, Leu<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>33</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>18</sup>, Leu<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, D-Arg<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, D-Arg<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>;
- 30 (Aib<sup>8,27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,27</sup>, β-Ala<sup>35,37</sup>, Arg<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,27</sup>, β-Ala<sup>35,37</sup>, Arg<sup>38,39</sup>)hGLP-1(7-39)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>18,27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8</sup>,  $\beta$ -Ala<sup>35</sup>, Arg<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, D-Arg<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>,  $\beta$ -Ala<sup>35</sup>, Arg<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>;  
 5 (Aib<sup>8</sup>, Phe<sup>31</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Phe<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Nal<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Nal<sup>28,31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Nal<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 10 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Phe<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Nal<sup>19,31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Nal<sup>12,31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 15 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-dodecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, B-Ala<sup>35</sup>, Ser<sup>37</sup>(O-decanoyl))hGLP-1(7-37)-NH<sub>2</sub>;  
 (Aib<sup>8,27</sup>,  $\beta$ -Ala<sup>35,37</sup>, Arg<sup>38</sup>, Lys<sup>39</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-39)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-37)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-37)NH<sub>2</sub>; or  
 20 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-37)NH<sub>2</sub>;  
 or a pharmaceutically acceptable salt thereof.

Another more preferred compound of formula (I) is each of the compounds that are specifically enumerated hereinbelow in the Examples section of the present disclosure, or a pharmaceutically acceptable salt thereof.


- 25 In another aspect, the present invention provides a pharmaceutical composition comprising an effective amount of a compound of formula (I) as defined hereinabove or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier or diluent.

- 30 In yet another aspect, the present invention provides a method of eliciting an agonist effect from a GLP-1 receptor in a subject in need thereof which comprises administering to said subject an effective amount of a compound of formula (I) as defined hereinabove or a pharmaceutically acceptable salt thereof.

In a further aspect, the present invention provides a method of treating a disease selected from the group consisting of Type I diabetes, Type II diabetes,

obesity, glucagonomas, secretory disorders of the airway, metabolic disorder, arthritis, osteoporosis, central nervous system disease, restenosis, neurodegenerative disease, renal failure, congestive heart failure, nephrotic syndrome, cirrhosis, pulmonary edema, hypertension, and disorders wherein the reduction of food intake is desired, in a subject in need thereof which comprises administering to said subject an effective amount of a compound of formula (I) as defined hereinabove or a pharmaceutically acceptable salt thereof. A preferred method of the immediately foregoing method is where the disease being treated is Type I diabetes or Type II diabetes.

With the exception of the N-terminal amino acid, all abbreviations (e.g. Ala) of amino acids in this disclosure stand for the structure of  $\text{-NH-CH(R)-CO-}$ , wherein R is the side chain of an amino acid (e.g.,  $\text{CH}_3$  for Ala). For the N-terminal amino acid, the abbreviation stands for the structure of  $(\text{R}^2\text{R}^3)\text{-N-CH(R)-CO-}$ , wherein R is a side chain of an amino acid and  $\text{R}^2$  and  $\text{R}^3$  are as defined above, except when A<sup>7</sup> is Ura, Paa or Pta, in which case  $\text{R}^2$  and  $\text{R}^3$  are not present since Ura, Paa and Pta are considered here as des-amino amino acids. Amp,  $\beta$ -Nal, Nle, Cha, 3-Pal, 4-Pal and Aib are the abbreviations of the following  $\alpha$ -amino acids: 4-amino-phenylalanine,  $\beta$ -(2-naphthyl)alanine, norleucine, cyclohexylalanine,  $\beta$ -(3-pyridinyl)alanine,  $\beta$ -(4-pyridinyl)alanine and  $\alpha$ -aminoisobutyric acid, respectively. Other amino acid definitions are: Ura is urocanic acid; Pta is (4-pyridylthio) acetic acid; Paa is *trans*-3-(3-pyridyl) acrylic acid; Tma-His is N,N-tetramethylamidino-histidine; N-Me-Ala is N-methyl-alanine; N-Me-Gly is N-methyl-glycine; N-Me-Glu is N-methyl-glutamic acid; Tle is *tert*-butylglycine; Abu is  $\alpha$ -aminobutyric acid; Tba is *tert*-butylalanine; Orn is ornithine; Aib is  $\alpha$ -aminoisobutyric acid;  $\beta$ -Ala is  $\beta$ -alanine; Gaba is  $\gamma$ -aminobutyric acid; Ava is 5-aminovaleric acid; Ado is 12-aminododecanoic acid, Aic is 2-aminoindane-2-carboxylic acid; Aun is 11-aminoundecanoic acid; and Aec is 4-(2-aminoethyl)-1-carboxymethyl-piperazine,




represented by the structure:

What is meant by Acc is an amino acid selected from the group of 1-amino-1-cyclopropanecarboxylic acid (A3c); 1-amino-1-cyclobutanecarboxylic acid (A4c); 1-amino-1-cyclopentanecarboxylic acid (A5c); 1-amino-1-cyclohexanecarboxylic acid (A6c); 1-amino-1-cycloheptanecarboxylic acid (A7c); 1-amino-1-




cyclooctanecarboxylic acid (A8c); and 1-amino-1-cyclononanecarboxylic acid (A9c). In the above formula, hydroxyalkyl, hydroxyphenylalkyl, and hydroxynaphthylalkyl may contain 1-4 hydroxy substituents. COX<sup>5</sup> stands for -C=O·X<sup>5</sup>. Examples of -C=O·X<sup>5</sup> include, but are not limited to, acetyl and phenylpropionyl.

- 5 What is meant by Lys(N<sub>ε</sub>-alkanoyl) is represented by the following structure:




. What is meant by Lys(N<sub>ε</sub>-alkylsulfonyl) is



represented by the following structure:

. What


is meant by Lys(N<sub>ε</sub>-(2-(4-alkyl-1-piperazine)-acetyl)) is represented by the following



structure:


. What is meant by

- 10 Asp(1-(4-alkyl-piperazine)) is represented by the following



structure:

. What is meant by Asp(1-alkylamino)




is represented by the following structure:


. What is

meant by Lys(N<sub>ε</sub>-Aec-alkanoyl) is represented by the structure:

-12-



The variable  $n$  in the foregoing structures is 1-30. What is meant by Lys (N $\epsilon$ -ace-alkanoyl) is represented by the structure:



5

The full names for other abbreviations used herein are as follows: Boc for t-butyloxycarbonyl, HF for hydrogen fluoride, Fm for formyl, Xan for xanthyl, Bzl for benzyl, Tos for tosyl, DNP for 2,4-dinitrophenyl, DMF for dimethylformamide, DCM for dichloromethane, HBTU for 2-(1H-Benzotriazol-1-yl)-1,1,3,3-tetramethyluronium hexafluorophosphate, DIEA for diisopropylethylamine, HOAc for acetic acid, TFA for trifluoroacetic acid, 2ClZ for 2-chlorobenzyloxycarbonyl, 2BrZ for 2-bromobenzyloxycarbonyl, OcHex for O-cyclohexyl, Fmoc for 9-fluorenylmethoxycarbonyl, HOBt for N-hydroxybenzotriazole and PAM resin for 4-hydroxymethylphenylacetamidomethyl resin.

15

The term "halo" encompasses fluoro, chloro, bromo and iodo.

The term "(C<sub>1</sub>-C<sub>30</sub>)hydrocarbon moiety" encompasses alkyl, alkenyl and alkynyl, and in the case of alkenyl and alkynyl there are C<sub>2</sub>-C<sub>30</sub>.

20

A peptide of this invention is also denoted herein by another format, e.g., (A5c<sup>8</sup>)hGLP-1(7-36)NH<sub>2</sub>, with the substituted amino acids from the natural sequence placed between the first set of parentheses (e.g., A5c<sup>8</sup> for Ala<sup>8</sup> in hGLP-1). The abbreviation GLP-1 means glucagon-like peptide-1; hGLP-1 means human glucagon-like peptide-1. The numbers between the parentheses refer to the number of amino acids present in the peptide (e.g., hGLP-1(7-36) is amino acids 7 through 36 of the peptide sequence for human GLP-1). The sequence for hGLP-

1(7-37) is listed in Mojsov, S., Int. J. Peptide Protein Res., 40, 1992, pp. 333-342. The designation "NH<sub>2</sub>" in hGLP-1(7-36)NH<sub>2</sub> indicates that the C-terminus of the peptide is amidated. hGLP-1(7-36) means that the C-terminus is the free acid. In hGLP-1(7-38), residues in positions 37 and 38 are Gly and Arg, respectively.

5

#### Detailed Description

The peptides of this invention can be prepared by standard solid phase peptide synthesis. See, e.g., Stewart, J.M., et al., Solid Phase Synthesis (Pierce Chemical Co., 2d ed. 1984). The substituents R<sup>2</sup> and R<sup>3</sup> of the above generic formula may be attached to the free amine of the N-terminal amino acid by standard methods known in the art. For example, alkyl groups, e.g., (C<sub>1</sub>-C<sub>30</sub>)alkyl, may be attached using reductive alkylation. Hydroxyalkyl groups, e.g., (C<sub>1</sub>-C<sub>30</sub>)hydroxyalkyl, may also be attached using reductive alkylation wherein the free hydroxy group is protected with a t-butyl ester. Acyl groups, e.g., COE<sup>1</sup>, may be attached by coupling the free acid, e.g., E<sup>1</sup>COOH, to the free amine of the N-terminal amino acid by mixing the completed resin with 3 molar equivalents of both the free acid and diisopropylcarbodiimide in methylene chloride for one hour. If the free acid contains a free hydroxy group, e.g., p-hydroxyphenylpropionic acid, then the coupling should be performed with an additional 3 molar equivalents of HOBt.

When R<sup>1</sup> is NH-X<sup>2</sup>-CH<sub>2</sub>-CONH<sub>2</sub>, (i.e., Z<sup>0</sup>=CONH<sub>2</sub>), the synthesis of the peptide starts with BocHN-X<sup>2</sup>-CH<sub>2</sub>-COOH which is coupled to the MBHA resin. If R<sup>1</sup> is NH-X<sup>2</sup>-CH<sub>2</sub>-COOH, (i.e., Z<sup>0</sup>=COOH) the synthesis of the peptide starts with Boc-HN-X<sup>2</sup>-CH<sub>2</sub>-COOH which is coupled to PAM resin. For this particular step, 4 molar equivalents of Boc-HN-X<sup>2</sup>-COOH, HBTU and HOBt and 10 molar equivalents of DIEA are used. The coupling time is about 8 hours.

The protected amino acid 1-(N-tert-butoxycarbonyl-amino)-1-cyclohexanecarboxylic acid (Boc-A6c-OH) was synthesized as follows. 19.1 g (0.133 mol) of 1-amino-1-cyclohexanecarboxylic acid (Acros Organics, Fisher Scientific, Pittsburgh, PA) was dissolved in 200 ml of dioxane and 100 ml of water. To it was added 67 ml of 2N NaOH. The solution was cooled in an ice-water bath. 32.0 g (0.147 mol) of di-tert-butyl-dicarbonate was added to this solution. The reaction mixture was stirred overnight at room temperature. Dioxane was then removed under reduced pressure. 200 ml of ethyl acetate was added to the remaining aqueous solution. The mixture was cooled in an ice-water bath. The pH of the aqueous layer was adjusted to about 3 by adding 4N HCl. The organic layer was separated. The

aqueous layer was extracted with ethyl acetate (1 x 100 ml). The two organic layers were combined and washed with water (2 x 150 ml), dried over anhydrous  $\text{MgSO}_4$ , filtered, and concentrated to dryness under reduced pressure. The residue was recrystallized in ethyl acetate/hexanes. 9.2 g of the pure product was obtained. 29% yield.

Boc-A5c-OH was synthesized in an analogous manner to that of Boc-A6c-OH. Other protected Acc amino acids can be prepared in an analogous manner by a person of ordinary skill in the art as enabled by the teachings herein.

In the synthesis of a GLP-1 analogue of this invention containing A5c, A6c and/or Aib, the coupling time is 2 hrs. for these residues and the residue immediately following them. For the synthesis of (Tma-His<sup>7</sup>)hGLP-1(7-36)NH<sub>2</sub>, HBTU (2 mmol) and DIEA (1.0 ml) in 4 ml DMF are used to react with the N-terminal free amine of the peptide-resin in the last coupling reaction; the coupling time is about 2 hours.

The substituents R<sup>2</sup> and R<sup>3</sup> of the above generic formula can be attached to the free amine of the N-terminal amino acid by standard methods known in the art. For example, alkyl groups, e.g., (C<sub>1</sub>-C<sub>30</sub>)alkyl, can be attached using reductive alkylation. Hydroxyalkyl groups, e.g., (C<sub>1</sub>-C<sub>30</sub>)hydroxyalkyl, can also be attached using reductive alkylation wherein the free hydroxy group is protected with a t-butyl ester. Acyl groups, e.g., COX<sup>1</sup>, can be attached by coupling the free acid, e.g., X<sup>1</sup>COOH, to the free amine of the N-terminal amino acid by mixing the completed resin with 3 molar equivalents of both the free acid and diisopropylcarbodiimide in methylene chloride for about one hour. If the free acid contains a free hydroxy group, e.g., p-hydroxyphenylpropionic acid, then the coupling should be performed with an additional 3 molar equivalents of HOBT.

A compound of the present invention can be tested for activity as a GLP-1 binding compound according to the following procedure.

#### Cell Culture:

RIN 5F rat insulinoma cells (ATCC-# CRL-2058, American Type Culture Collection, Manassas, VA), expressing the GLP-1 receptor, were cultured in Dulbecco's modified Eagle's medium (DMEM) containing 10% fetal calf serum, and maintained at about 37 °C in a humidified atmosphere of 5% CO<sub>2</sub>/95% air.

#### Radioligand Binding:

Membranes were prepared for radioligand binding studies by

homogenization of the RIN cells in 20 ml of ice-cold 50 mM Tris-HCl with a Brinkman Polytron (Westbury, NY) (setting 6, 15 sec). The homogenates were washed twice by centrifugation (39,000 g / 10 min), and the final pellets were resuspended in 50 mM Tris-HCl, containing 2.5 mM MgCl<sub>2</sub>, 0.1 mg/ml bacitracin (Sigma Chemical, St. Louis, MO), and 0.1% BSA. For assay, aliquots (0.4 ml) were incubated with 0.05 nM (<sup>125</sup>I)GLP-1(7-36) (~2200 Ci/mmol, New England Nuclear, Boston, MA), with and without 0.05 ml of unlabeled competing test peptides. After a 100 min incubation (25 °C), the bound (<sup>125</sup>I)GLP-1(7-36) was separated from the free by rapid filtration through GF/C filters (Brandel, Gaithersburg, MD), which had been previously soaked in 0.5% polyethyleneimine. The filters were then washed three times with 5 ml aliquots of ice-cold 50 mM Tris-HCl, and the bound radioactivity trapped on the filters was counted by gamma spectrometry (Wallac LKB, Gaithersburg, MD). Specific binding was defined as the total (<sup>125</sup>I)GLP-1(7-36) bound minus that bound in the presence of 1000 nM GLP1(7-36) (Bachem, Torrence, CA).

The peptides of this invention can be provided in the form of pharmaceutically acceptable salts. Examples of such salts include, but are not limited to, those formed with organic acids (e.g., acetic, lactic, maleic, citric, malic, ascorbic, succinic, benzoic, methanesulfonic, toluenesulfonic, or pamoic acid), inorganic acids (e.g., hydrochloric acid, sulfuric acid, or phosphoric acid), and polymeric acids (e.g., tannic acid, carboxymethyl cellulose, polylactic, polyglycolic, or copolymers of polylactic-glycolic acids). A typical method of making a salt of a peptide of the present invention is well known in the art and can be accomplished by standard methods of salt exchange. Accordingly, the TFA salt of a peptide of the present invention (the TFA salt results from the purification of the peptide by using preparative HPLC, eluting with TFA containing buffer solutions) can be converted into another salt, such as an acetate salt by dissolving the peptide in a small amount of 0.25 N acetic acid aqueous solution. The resulting solution is applied to a semi-prep HPLC column (Zorbax, 300 SB, C-8). The column is eluted with (1) 0.1N ammonium acetate aqueous solution for 0.5 hrs., (2) 0.25N acetic acid aqueous solution for 0.5 hrs. and (3) a linear gradient (20% to 100% of solution B over 30 min.) at a flow rate of 4 ml/min (solution A is 0.25N acetic acid aqueous solution; solution B is 0.25N acetic acid in acetonitrile/water, 80:20). The fractions containing the peptide are collected and lyophilized to dryness.

As is well known to those skilled in the art, the known and potential uses of GLP-1 is varied and multitudinous (See, Todd, J.F., et al., Clinical Science, 1998, 95, pp. 325-329; and Todd, J.F. et al., European Journal of Clinical Investigation, 1997, 27, pp.533-536). Thus, the administration of the compounds of this invention for purposes of eliciting an agonist effect can have the same effects and uses as GLP-1 itself. These varied uses of GLP-1 may be summarized as follows, treatment of: Type I diabetes, Type II diabetes, obesity, glucagonomas, secretory disorders of the airway, metabolic disorder, arthritis, osteoporosis, central nervous system diseases, restenosis, neurodegenerative diseases, renal failure, congestive heart failure, nephrotic syndrome, cirrhosis, pulmonary edema, hypertension, and disorders wherein the reduction of food intake is desired. GLP-1 analogues of the present invention that elicit an antagonist effect from a subject can be used for treating the following: hypoglycemia and malabsorption syndrome associated with gastroectomy or small bowel resection.

Accordingly, the present invention includes within its scope pharmaceutical compositions comprising, as an active ingredient, at least one of the compounds of formula (I) in association with a pharmaceutically acceptable carrier.

The dosage of active ingredient in the compositions of this invention may be varied; however, it is necessary that the amount of the active ingredient be such that a suitable dosage form is obtained. The selected dosage depends upon the desired therapeutic effect, on the route of administration, and on the duration of the treatment. In general, an effective dosage for the activities of this invention is in the range of  $1 \times 10^{-7}$  to 200 mg/kg/day, preferably  $1 \times 10^{-4}$  to 100 mg/kg/day, which can be administered as a single dose or divided into multiple doses.

The compounds of this invention can be administered by oral, parenteral (e.g., intramuscular, intraperitoneal, intravenous or subcutaneous injection, or implant), nasal, vaginal, rectal, sublingual or topical routes of administration and can be formulated with pharmaceutically acceptable carriers to provide dosage forms appropriate for each route of administration.

Solid dosage forms for oral administration include capsules, tablets, pills, powders and granules. In such solid dosage forms, the active compound is admixed with at least one inert pharmaceutically acceptable carrier such as sucrose, lactose, or starch. Such dosage forms can also comprise, as is normal practice, additional substances other than such inert diluents, e.g., lubricating

agents such as magnesium stearate. In the case of capsules, tablets and pills, the dosage forms may also comprise buffering agents. Tablets and pills can additionally be prepared with enteric coatings.

5 Liquid dosage forms for oral administration include pharmaceutically acceptable emulsions, solutions, suspensions, syrups, the elixirs containing inert diluents commonly used in the art, such as water. Besides such inert diluents, compositions can also include adjuvants, such as wetting agents, emulsifying and suspending agents, and sweetening, flavoring and perfuming agents.

10 Preparations according to this invention for parenteral administration include sterile aqueous or non-aqueous solutions, suspensions, or emulsions. Examples of non-aqueous solvents or vehicles are propylene glycol, polyethylene glycol, vegetable oils, such as olive oil and corn oil, gelatin, and injectable organic esters such as ethyl oleate. Such dosage forms may also contain adjuvants such as preserving, wetting, emulsifying, and dispersing agents. They may be sterilized by, 15 for example, filtration through a bacteria-retaining filter, by incorporating sterilizing agents into the compositions, by irradiating the compositions, or by heating the compositions. They can also be manufactured in the form of sterile solid compositions which can be dissolved in sterile water, or some other sterile injectable medium immediately before use.

20 Compositions for rectal or vaginal administration are preferably suppositories which may contain, in addition to the active substance, excipients such as coca butter or a suppository wax.

Compositions for nasal or sublingual administration are also prepared with standard excipients well known in the art.

25 Further, a compound of this invention can be administered in a sustained release composition such as those described in the following patents and patent applications. U.S. Patent No. 5,672,659 teaches sustained release compositions comprising a bioactive agent and a polyester. U.S. Patent No. 5,595,760 teaches sustained release compositions comprising a bioactive agent in a gelable form. 30 U.S. Application No. 08/929,363 filed September 9, 1997, teaches polymeric sustained release compositions comprising a bioactive agent and chitosan. U.S. Application No. 08/740,778 filed November 1, 1996, teaches sustained release compositions comprising a bioactive agent and cyclodextrin. U.S. Application No. 09/015,394 filed January 29, 1998, teaches absorbable sustained release

compositions of a bioactive agent. U.S. Application No. 09/121,653 filed July 23, 1998, teaches a process for making microparticles comprising a therapeutic agent such as a peptide in an oil-in-water process. U.S. Application No. 09/131,472 filed August 10, 1998, teaches complexes comprising a therapeutic agent such as a peptide and a phosphorylated polymer. U.S. Application No. 09/184,413 filed November 2, 1998, teaches complexes comprising a therapeutic agent such as a peptide and a polymer bearing a non-polymerizable lactone. The teachings of the foregoing patents and applications are incorporated herein by reference.

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Also, all publications, patent applications, patents and other references mentioned herein are incorporated by reference.

The following examples describe synthetic methods for making a peptide of this invention, which methods are well-known to those skilled in the art. Other methods are also known to those skilled in the art. The examples are provided for the purpose of illustration and is not meant to limit the scope of the present invention in any manner.

Boc- $\beta$ Ala-OH, Boc-D-Arg(Tos)-OH and Boc-D-Asp(OcHex) were purchased from Nova Biochem, San Diego, California. Boc-Aun-OH was purchased from Bachem, King of Prussia, PA. Boc-Ava-OH and Boc-Ado-OH were purchased from Chem-Impex International, Wood Dale, IL. Boc-Nal-OH was purchased from Synthetech, Inc. Albany, OR.

#### Example 1

##### (Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub>

The title peptide was synthesized on an Applied Biosystems (Foster City, CA) model 430A peptide synthesizer which was modified to do accelerated Boc-chemistry solid phase peptide synthesis. See Schnolzer, et al., Int. J. Peptide Protein Res., 90:180 (1992). 4-methylbenzhydrylamine (MBHA) resin (Peninsula, Belmont, CA) with the substitution of 0.91 mmol/g was used. The Boc amino acids (Bachem, CA, Torrance, CA; Nova Biochem., LaJolla, CA) were used with the following side chain protection: Boc-Ala-OH, Boc-Arg(Tos)-OH, Boc-Asp(OcHex)-OH, Boc-Tyr(2BrZ)-OH, Boc-His(DNP)-OH, Boc-Val-OH, Boc-Leu-OH, Boc-Gly-OH, Boc-Gln-OH, Boc-Ile-OH, Boc-Lys(2CIZ)-OH, Boc-Thr(Bzl)-OH, Boc-Ser(Bzl)-OH, Boc-Phe-OH, Boc-Aib-OH, Boc-Glu(OcHex)-OH and Boc-Trp(Fm)-OH. The



synthesis was carried out on a 0.20 mmol scale. The Boc groups were removed by treatment with 100% TFA for 2 x 1 min. Boc amino acids (2.5 mmol) were pre-activated with HBTU (2.0 mmol) and DIEA (1.0 mL) in 4 mL of DMF and were coupled without prior neutralization of the peptide-resin TFA salt. Coupling times were 5 min. except for the Boc-Aib-OH residues and the following residues, Boc-Lys(2CIZ)-OH and Boc-His(DNP)-OH wherein the coupling times were 2 hours.

At the end of the assembly of the peptide chain, the resin was treated with a solution of 20% mercaptoethanol/10% DIEA in DMF for 2 x 30 min. to remove the DNP group on the His side chain. The N-terminal Boc group was then removed by treatment with 100% TFA for 2 x 2 min. After neutralization of the peptide-resin with 10% DIEA in DMF (1 x 1 min), the formyl group on the side chain of Trp was removed by treatment with a solution of 15% ethanolamine/ 15% water/ 70% DMF for 2 x 30 min. The peptide-resin was washed with DMF and DCM and dried under reduced pressure. The final cleavage was done by stirring the peptide-resin in 10 mL of HF containing 1 mL of anisole and dithiothreitol (24 mg) at 0°C for 75 min. HF was removed by a flow of nitrogen. The residue was washed with ether (6 x 10 mL) and extracted with 4N HOAc (6 x 10 mL).

The peptide mixture in the aqueous extract was purified on reverse-phase preparative high pressure liquid chromatography (HPLC) using a reverse phase VYDAC® C<sub>18</sub> column (Nest Group, Southborough, MA). The column was eluted with a linear gradient (20% to 50% of solution B over 105 min.) at a flow rate of 10 mL/min (Solution A = water containing 0.1% TFA; Solution B = acetonitrile containing 0.1% of TFA). Fractions were collected and checked on analytical HPLC. Those containing pure product were combined and lyophilized to dryness. 135 mg of a white solid was obtained. Purity was 98.6% based on analytical HPLC analysis. Electro-spray mass spectrometer (MS(ES))S analysis gave the molecular weight at 3339.7 (in agreement with the calculated molecular weight of 3339.7).

#### Example 2



The title compound (HEPES is (4-(2-hydroxyethyl)-1-piperazine-ethanesulfonic acid)) can be synthesized as follows: after assembly of the peptide (Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub> on MBHA resin (0.20 mmol) according to the procedure of Example 1, the peptide-resin is treated with 100% TFA (2 x 2 min.) and washed with DMF and DCM. The resin is then neutralized with 10% DIEA in DMF for 2 min.

After washing with DMF and DCM, the resin is treated with 0.23 mmol of 2-chloro-1-ethanesulfonyl chloride and 0.7 mmol of DIEA in DMF for about 1 hour. The resin is washed with DMF and DCM and treated with 1.2 mmol of 2-hydroxyethylpiperazine for about 2 hours. The resin is washed with DMF and DCM and treated with different reagents ((1) 20% mercaptoethanol / 10% DIEA in DMF and (2) 15% ethanolamine / 15% water / 70% DMF) to remove the DNP group on the His side chain and formyl group on the Trp side chain as described above before the final HF cleavage of the peptide from the resin.

### Example 3

10  $((N_{\alpha}\text{-HEPA-His})^7, \text{Aib}^{8,35})\text{hGLP-1(7-36)NH}_2$

The title compound (HEPA is (4-(2-hydroxyethyl)-1-piperazineacetyl)) can be made substantially according to the procedure described in Example 2 for making  $((N_{\alpha}\text{-HEPES-His})^7, \text{Aib}^{8,35})\text{hGLP-1(7-36)NH}_2$  except that 2-bromoacetic anhydride is used in place of 2-chloro-1-ethanesulfonyl chloride.

### 15 Example 4

$(\text{Aib}^8, \beta\text{-Ala}^{35})\text{hGLP-1(7-36)NH}_2$

The title compound was synthesized substantially according to the procedure described for Example 1 using the appropriate protected amino acids. MS (ES) gave the molecular weight at 3325.7, calculated MW = 3325.8, purity = 99%, yield = 85 mg.

The synthesis of other compounds of the present invention can be accomplished in substantially the same manner as the procedure described for the synthesis of  $(\text{Aib}^{8,35})\text{hGLP-1(7-36)NH}_2$  in Example 1 above, but using the appropriate protected amino acids depending on the desired peptide.

### 25 Example 5

$(\text{Aib}^{8,35}, \text{Arg}^{26,34}, \text{Lys}^{36}(\text{N}_{\alpha}\text{-tetradecanoyl}))\text{hGLP-1(7-36)NH}_2$

The Boc amino acids used were the same as those in the synthesis of  $(\text{Aib}^{8,35})\text{hGLP-1(7-36)NH}_2$  described in Example 1 except that Fmoc-Lys(Boc)-OH was used in this example. The first amino acid residue was coupled to the resin manually on a shaker. 2.5 mmol of Fmoc-Lys(Boc)-OH was dissolved in 4 mL of 0.5N HBTU in DMF. To the solution was added 1 mL of DIEA. The mixture was shaken for about 2 min. To the solution was then added 0.2 mmol of MBHA resin (substitution = 0.91 mmol/g). The mixture was shaken for about 1 hr. The resin was washed with DMF and treated with 100% TFA for 2x2 min to remove the Boc

protecting group. The resin was washed with DMF. Myristic acid (2.5 mmol) was pre-activated with HBTU (2.0 mmol) and DIEA (1.0 mL) in 4 mL of DMF for 2 min and was coupled to the Fmoc-Lys-resin. The coupling time was about 1 hr. The resin was washed with DMF and treated with 25% piperidine in DMF for 2x20 min to remove the Fmoc protecting group. The resin was washed with DMF and transferred to the reaction vessel of the peptide synthesizer. The following steps synthesis and purification procedures for the peptide were the same as those in the synthesis of (Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub> in Example 1. 43.1 mg of the title compound were obtained as a white solid. Purity was 98% based on analytical HPLC analysis. Electro-spray mass spectrometer analysis gave the molecular weight at 3577.7 in agreement with the calculated molecular weight 3578.7.

#### Examples 6-8

Examples 6-8 were synthesized substantially according to the procedure described for Example 5 using the appropriate protected amino acid and the appropriate acid in place of the Myristic acid used in Example 5.

Example 6: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>; Yield = 89.6 mg; MS(ES) = 3577.2, Calculated MW = 3578.7; Purity 96%.

Example 7: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-38)NH<sub>2</sub>; Yield = 63.3 mg; MS(ES) = 3818.7; Calculated MW = 3819.5; Purity 96%.

Example 8: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>; Yield = 57.4 mg; MS(ES) = 3521.5; Calculated MW = 3522.7; Purity 98%; Acid = decanoic acid.

The syntheses of other compounds of the present invention containing Lys(N<sub>ε</sub>-alkanoyl) residue can be carried out in an analogous manner to the procedure described for Example 5, (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>. Fmoc-Lys(Boc)-OH amino acid is used for the residue of Lys(N<sub>ε</sub>-alkanoyl) in the peptide, while Boc-Lys(2ClZ)-OH amino acid is used for the residue of Lys. If the Lys(N<sub>ε</sub>-alkanoyl) residue is not at the C-terminus, the peptide fragment immediately prior to the Lys(N<sub>ε</sub>-alkanoyl) residue is assembled on the resin on the peptide synthesizer first. The appropriate acid corresponding to the desired alkanoyl can be purchased from Aldrich Chemical Co., Inc. Milwaukee, WI, USA, e.g., octanoic acid, decanoic acid, lauric acid and palmitic acid.

Example 9

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-dodecanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>

The Boc amino acids to be used in this synthesis are the same as those used in the synthesis of Example 5. The first amino acid residue is coupled to the resin manually on a shaker. 2.5 mmol of Fmoc-Lys(Boc)-OH is dissolved in 4 mL of 0.5N HBTU in DMF. To the solution is added 1 mL of DIEA. The mixture is shaken for about 2 min. To the solution is then added 0.2 mmol of MBHA resin(substitution = 0.91 mmol/g). The mixture is shaken for about 1 hr. The resin is washed with DMF and treated with 100% TFA for 2x2 min to remove the Boc protecting group. The resin is washed with DMF and to it is added 0.25 mmol of 1-dodecanesulfonyl chloride in 4 mL of DMF and 1 mL of DIEA. The mixture is shaken for about 2 hrs. The resin is washed with DMF and treated with 25% piperidine in DMF for 2 x 20 min to remove the Fmoc protecting group. The resin is washed with DMF and transferred to the reaction vessel of the peptide synthesizer. The synthesis of the rest of the peptide and purification procedures are the same as those described in Example 1.

The syntheses of other compounds of the present invention containing Lys(N<sub>ε</sub>-alkylsulfonyl) residue can be carried out in an analogous manner to the procedure described in Example 9. Fmoc-Lys(Boc)-OH amino acid is used for the residue of Lys(N<sub>ε</sub>-alkylsulfonyl) in the peptide, while Boc-Lys(2ClZ)-OH amino acid is used for the residue of Lys. If the Lys(N<sub>ε</sub>-alkylsulfonyl) residue is not at the C-terminus, the peptide fragment immediately prior to the Lys(N<sub>ε</sub>-alkylsulfonyl) residue is assembled on the resin on the peptide synthesizer first. The appropriate alkylsulfonyl chloride can be obtained from Lancaster Synthesis Inc., Windham, NH, USA, e.g., 1-octanesulfonyl chloride, 1-decanesulfonyl chloride, 1-dodecanesulfonyl chloride, 1-hexadecanesulfonyl chloride and 1-octadecylsulfonyl chloride.

Example 10

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

The Boc amino acids to be used for this example are the same as those used in the synthesis of Example 5. The first amino acid residue is coupled to the resin manually on a shaker. 2.5 mmol of Fmoc-Lys(Boc)-OH is dissolved in 4 mL of 0.5N HBTU in DMF. To the solution is added 1 mL of DIEA. The mixture is shaken for about 2 min. To the solution is then added 0.2 mmol of MBHA (substitution =

0.91 mmol/g) resin. The mixture is shaken for about 1 hr. The resin is washed with DMF and treated with 100% TFA for 2x2 min to remove the Boc protecting group. The resin is washed with DMF. The 2-bromoacetic acid (2.5 mmol) is pre-activated with HBTU (2.0 mmol) and DIEA (1 mL) in 4 mL of DMF for about 2 min and is added to the resin. The mixture is shaken for about 10 min and washed with DMF. The resin is then treated with 1.2 mmol of piperazine in 4 mL of DMF for about 2 hrs. The resin is washed with DMF and treated with 2 mmol of 1-iodotetradecane for about 4 hrs. After washing with DMF, the resin is treated with 3 mmol of acetic anhydride and 1 mL of DIEA in 4 mL of DMF for about 0.5 hr. The resin is washed with DMF and treated with 25% piperidine in DMF for 2x20 min. The resin is washed with DMF and transferred to the reaction vessel of the peptide synthesizer to continue the synthesis. The remaining synthesis and purification procedures for the peptide are the same as the procedures described for Example 1.

The syntheses of other compounds of the present invention containing Lys(N $\epsilon$ -(2-(4-alkyl-1-piperazine)-acetyl)) residue are carried out in an analogous manner as the procedure described for the synthesis of Example 10. Fmoc-Lys(Boc)-OH amino acid is used for the residue of Lys(N $\epsilon$ -(2-(4-alkyl-1-piperazine)-acetyl)) in the peptide, while Boc-Lys(2CIZ)-OH amino acid is used for the residue of Lys. The corresponding iodoalkane is used for the residue of Lys(N $\epsilon$ -(2-(4-alkyl-1-piperazine)-acetyl)) during the alkylation step. If the Lys(N $\epsilon$ -(2-(4-alkyl-1-piperazine)-acetyl)) residue is not at the C-terminus, the peptide fragment immediately prior to the Lys(N $\epsilon$ -(2-(4-alkyl-1-piperazine)-acetyl)) residue is assembled on the resin on the peptide synthesizer first.

#### Example 11

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>36</sup>(1-(4-tetradecyl-piperazine)))hGLP-1(7-36)NH<sub>2</sub>

The Boc amino acids to be used in this example are the same as the amino acids used in synthesis of Example 5 except Fmoc-Asp(O-tBu)-OH is used at position 36. The first amino acid residue is coupled to the resin manually on a shaker. 2.5 mmol of Fmoc-Asp(O-tBu)-OH is dissolved in 4 mL of 0.5N HBTU in DMF. To the solution is added 1 mL of DIEA. The mixture is shaken for about 2 min. To the solution is then added 0.2 mmol of MBHA (substitution = 0.91 mmol/g) resin. The mixture is shaken for about 1 hr. The resin is washed with DMF and treated with 100% TFA for 2x15 min to remove the tBu protecting group. The resin is washed with DMF and is treated with HBTU (0.6 mmol) and DIEA (1mL) in 4 mL

of DMF for about 15 min. 0.6 mmol of piperazine is added to the reaction mixture and the mixture is shaken for about 1 hr. The resin is washed with DMF and treated with 3 mmol of 1-iodotetradecane for about 4 hrs. After washing with DMF, the resin is treated with 3 mmol of acetic anhydride and 1 mL of DIEA in 4 mL of DMF for about 0.5 hr. The resin is washed with DMF and treated with 25% piperidine in DMF for 2x20 min to remove the Fmoc protecting group. The resin is washed with DMF and transferred to the reaction vessel of the peptide synthesizer to continue the synthesis. The remaining synthesis and purification procedures for the peptide are the same as those for the synthesis of Example 1.

The syntheses of other compounds of the present invention comprising Asp(1-(4-alkylpiperazine)) or Glu(1-(4-alkylpiperazine)) residue are carried out in an analogous manner as the procedure described for the synthesis of Example 11. Fmoc-Asp(O-tBu)-OH or Fmoc-Glu(O-tBu)-OH amino acid is used for the residue of Asp(1-(4-alkylpiperazine)) or Glu(1-(4-alkylpiperazine)) in the peptide, while Boc-Asp(OcHex)-OH or Boc-Glu(OcHex)-OH amino acid is used for the residue of Asp or Glu. The corresponding iodoalkane is used for the residue of Lys(N<sub>ε</sub>-(2-(4-alkyl-1-piperazine)-acetyl)) during the alkylation step. If the Asp(1-(4-alkylpiperazine)) or Glu(1-(4-alkylpiperazine)) residue is not at the C-terminus, the peptide fragment immediately prior to the Asp(1-(4-alkylpiperazine)) or Glu(1-(4-alkylpiperazine)) residue is assembled on the resin on the peptide synthesizer first.

#### Example 12

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>36</sup>(1-tetradecylamino))hGLP-1(7-36)NH<sub>2</sub>

The Boc amino acids to be used for this example are the same as those used in Example 5. The first amino acid residue is coupled to the resin manually on a shaker. 2.5 mmol of Fmoc-Asp(O-tBu)-OH is dissolved in 4 mL of 0.5N HBTU in DMF. To the solution is added 1 mL of DIEA. The mixture is shaken for about 2 min. To the solution is then added 0.2 mmol of MBHA (substitution = 0.91 mmol/g) resin. The mixture is shaken for about 1 hr. The resin is washed with DMF and treated with 100% TFA for 2x15 min to remove the t-Bu protecting group. The resin is washed with DMF and is treated with HBTU (0.6 mmol) and DIEA (1mL) in 4 mL of DMF for about 15 min. 0.6 mmol of 1-tetradecaneamine is added to the reaction mixture and the mixture is shaken for about 1 hr. The resin is washed with DMF and treated with 25% piperidine in DMF for 2x20 min to remove the Fmoc protecting group. The resin is washed with DMF and transferred to the reaction

vessel of the peptide synthesizer to continue the synthesis. The remaining synthesis and purification procedures for the peptide of this example are the same as those described for the synthesis of Example 1.

The syntheses of other compounds of the present invention containing  
5 Asp(1-alkylamino) or Glu(1-alkylamino) residue are carried out in an analogous manner as described for the synthesis of Example 12. Fmoc-Asp(O-tBu)-OH or Fmoc-Glu(O-tBu)-OH amino acid is used for the residue of Asp(1-alkylamino) or Glu(1-alkylamino), respectively, in the peptide, while Boc-Asp(OcHex)-OH or Boc-Glu(OcHex)-OH amino acid is used for the residue of Asp or Glu, respectively. If  
10 the Asp(1-alkylamino) or Glu(1-alkylamino) residue is not at the C-terminus, the peptide fragment immediately prior to the Asp(1-alkylamino) or Glu(1-alkylamino) residue is assembled on the resin on the peptide synthesizer first.

#### Example 13

(Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-tetradecanoyl), β-Ala<sup>37</sup>)hGLP-1(7-37)-OH

15 The Boc amino acids used are the same as those in the synthesis of (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub> (Example 5). 270 mg of Boc-β-Ala-PAM resin (Novabiochem, San Diego, California, substitution=0.74 mmol/g) was used. The Boc protecting group on Boc-β-Ala-PAM resin was deblocked on a shaker with 100%TFA for 2x2 min first. The remainder of the  
20 synthesis and purification procedures were the same as that in Example 5. 83.0 mg of the title peptide was obtained as white solid. Purity was 99% based on analytical HPLC analysis. Electro-spray mass spectrometer analysis gave the molecular weight at 3650.5 in agreement with the calculated weight 3650.8.

#### Example 14

25 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-36)-OH

The Boc amino acids to be used are the same as those in the synthesis of (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>ε</sub>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub> (Example 5). Fmoc-Lys(Boc)-OH (2.5 mmol) is pre-activated with HBTU (2.0 mmol), HOBt (2.0 mmol and DIEA (2.5 ml) in DMF (4 ml) for about 2 min. This amino acid is coupled to 235  
30 mg of PAM resin (Chem-Impex, Wood Dale, IL; substitution = 0.85 mmol/g) manually on a shaker. The coupling time is about 8 hrs. The remainder of the synthesis and purification procedures are the same as those in Example 5. Electro-spray mass spectrometer analysis gave the molecular weight at 3579.15 in agreement with the calculated weight 3579.5.

The syntheses of other analogs of hGLP-1(7-36)-OH, hGLP-1(7-37)-OH and hGLP-1(7-38)-OH of the instant invention which contain Lys(N<sub>ε</sub>-alkanoyl) residue can be carried out in an analogous manner according to the procedure described for the synthesis of Example 14. Fmoc-Lys(Boc)-OH amino acid is used for the residue of Lys(N<sub>ε</sub>-alkanoyl) in the peptide, while Boc-Lys(2ClZ)-OH amino acid is used for the residue of Lys.

#### Example 366

(Aib<sup>8</sup>, β-Ala<sup>35</sup>, Aec<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>

A mixture of MBHA resin (0.2mmol, substitution=0.91mmol/g), Fmoc-Aec-OH (0.40g, 0.829 mmol), HBTU (1.5 mL @ 0.5M in DMF) and DIEA (0.5mL) in a reaction vessel was shaken on a shaker for 4h at room temperature. The resin was then washed with DMF and treated with 25% piperidine in DMF for 2X20min. The resin was washed with DMF and DCM and transferred to the reaction vessel of the peptide synthesizer to continue the assembly of the rest of the peptide according to the procedure described for Example 1. The purification procedure was also the same as the one described in Example 1. Electro-spray mass spectrometer analysis gave the molecular weight at 3494.8 in agreement with the calculated molecular weight 3494.99. Purity 93%; Yield 79.1mg.

#### Example 367

(Aib<sup>8</sup>, β-Ala<sup>35</sup>, Aec<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>

Example 367 was synthesized substantially according to the procedure described for Example 366. MS(ES)=3551.7, calculated MW=3552.04; Purity 97%; Yield 97.4mg.

#### Example 368:

(Aib<sup>8</sup>, β-Ala<sup>35</sup>, Aec<sup>37,38</sup>)hGLP-1(7-38)NH<sub>2</sub>

A mixture of MBHA resin (0.2mmol, substitution=0.91mmol/g), Fmoc-Aec-OH (0.289g, 0.6 mmol), HBTU (1.12 mL @ 0.5M in DMF) and DIEA (0.4mL) in a reaction vessel was shaken on a shaker for 2h at room temperature. The resin was then washed with DMF and treated with 30% piperidine in DMF for 2X15min. The resin was washed with DMF. To the reaction vessel were added Fmoc-Aec-OH (0.289g, 0.6 mmol), HBTU (1.12 mL @ 0.5M in DMF) and DIEA (0.4mL). The mixture was shaken at room temperature for 2h. The resin was washed with DMF



and treated with 30% piperidine in DMF for 2X15min. The resin was washed with DMF and DCM and transferred to the reaction vessel of the peptide synthesizer to continue the assembly of the rest of the peptide according the procedure described for Example 1. The purification procedure was also the same as the one described in Example 1. Electro-spray mass spectrometer analysis gave the molecular weight at 3663.9 in agreement with the calculated molecular weight 3664.26. Purity 100%; Yield 75.3mg.

### Example 369

(Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-Aec-decanoyl))hGLP-1(7-36)NH<sub>2</sub>

A mixture of MBHA resin (0.2mmol, substitution=0.91mmol/g), Boc-Lys(Fmoc)-OH (1.17g, 2.5mmol), HBTU (4 mL @ 0.5M in DMF) and DIEA (1mL) in a reaction vessel was shaken on a shaker at room temperature for 10min. The resin was washed with DMF and treated with 25% piperidine in DMF for 2X15min. The resin was washed with DMF. To the reaction vessel were added Fmoc-Aec-OH (0.289g, 0.6 mmol), HBTU (1.12 mL @ 0.5M in DMF) and DIEA (0.4mL). The mixture was shaken at room temperature for 10min. The resin was washed with DMF and treated with 30% piperidine in DMF for 2X15min. The resin was washed with DMF and treated with a mixture of decanoic acid (431mg, 2.5 mmol), HBTU (4 mL @ 0.5M in DMF) and DIEA (1mL) for 10 min. The resin was washed with DMF and treated with 100% TFA for 2X2 min. The resin was washed with DMF and DCM and transferred to the reaction vessel of the peptide synthesizer to continue the assembly of the rest of the peptide according the procedure described for Example 1. The purification procedure was also the same as the one described in Example 1. Electro-spray mass spectrometer analysis gave the molecular weight at 3677.0 in agreement with the calculated molecular weight 3677.25. Purity 97.6%;Yield 44.8mg.

The following examples can be made according to the appropriate procedures described hereinabove.

Example 15: (Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 16: ( $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 17: ((N<sup>ε</sup>-Me-His)<sup>7</sup>, Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 18: ((N<sup>ε</sup>-Me-His)<sup>7</sup>, Aib<sup>8</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 19: ((N<sup>ε</sup>-Me-His)<sup>7</sup>, Aib<sup>8,35</sup>, Arg<sup>26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 20: ((N<sup>α</sup>-Me-His)<sup>7</sup>, Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 21: (Aib<sup>8</sup>, A6c<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 22: (Aib<sup>8</sup>, A5c<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 23: (Aib<sup>8</sup>, D-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

5 Example 24: (Aib<sup>8,35</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 25: (Aib<sup>8,35</sup>, A5c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 26: (Aib<sup>8,35</sup>, Glu<sup>23</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 27: (Aib<sup>8,24,35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 28: (Aib<sup>8,30,35</sup>)hGLP-1(7-36)NH<sub>2</sub>

10 Example 29: (Aib<sup>8,25,35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 30: (Aib<sup>8,35</sup>, A6c<sup>16,20</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 31: (Aib<sup>8,35</sup>, A6c<sup>16,29,32</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 32: (Aib<sup>8,35</sup>, A6c<sup>20,32</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 33: (Aib<sup>8,35</sup>, A6c<sup>20</sup>)hGLP-1(7-36)NH<sub>2</sub>

15 Example 34: (Aib<sup>8,35</sup>, Lys<sup>25</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 35: (Aib<sup>8,24,35</sup>, A6c<sup>20</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 36: (Aib<sup>8,35</sup>, A6c<sup>29,32</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 37: (Aib<sup>8,24,35</sup>, A6c<sup>29,32</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 38: (Aib<sup>8,35</sup>, A6c<sup>12</sup>)hGLP-1(7-36)NH<sub>2</sub>

20 Example 39: (Aib<sup>8,35</sup>, Cha<sup>20</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 40: (Aib<sup>8,35</sup>, A6c<sup>33</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 41: (Aib<sup>8,35</sup>, A6c<sup>20,32</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 42: (Aib<sup>8</sup>, A6c<sup>16,20</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 43: (Aib<sup>8,35</sup>, β-Ala<sup>22</sup>)hGLP-1(7-36)NH<sub>2</sub>

25 Example 44: (Aib<sup>8,22,35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 45: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 46: (Aib<sup>8,24,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 47: (Aib<sup>8,24,25,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 48: (Aib<sup>8,24,25,35</sup>, A6c<sup>16,20,32</sup>, Glu<sup>23</sup>)hGLP-1(7-36)NH<sub>2</sub>

30 Example 49: (Aib<sup>8</sup>, A6c<sup>32</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 50: (Aib<sup>8</sup>, A5c<sup>32</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 51: (Aib<sup>8</sup>, Glu<sup>23</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 52: (Aib<sup>8,24</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 53: (Aib<sup>8,30</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

- Example 54: (Aib<sup>8,25</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 55: (Aib<sup>8</sup>, A6c<sup>16,20</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 56: (Aib<sup>8</sup>, A6c<sup>16,29,32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 57: (Aib<sup>8</sup>, A6c<sup>20,32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- 5 Example 58: (Aib<sup>8</sup>, A6c<sup>20</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 59: (Aib<sup>8</sup>, Lys<sup>25</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 60: (Aib<sup>8,24</sup>, A6c<sup>20</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 61: (Aib<sup>8</sup>, A6c<sup>29,32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 62: (Aib<sup>8,24</sup>, A6c<sup>29,32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- 10 Example 63: (Aib<sup>8</sup>, A6c<sup>12</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 64: (Aib<sup>8</sup>, Cha<sup>20</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 65: (Aib<sup>8</sup>, A6c<sup>33</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 66: (Aib<sup>8</sup>, A6c<sup>20,32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 67: (Aib<sup>8</sup>,  $\beta$ -Ala<sup>22,35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- 15 Example 68: (Aib<sup>8,22</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 69: (Aib<sup>8</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 70: (Aib<sup>8,24</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 71: (Aib<sup>8,24</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl),  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 72: (Aib<sup>8,24,25</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- 20 Example 73: (Aib<sup>8,24,25</sup>, A6c<sup>16,20,32</sup>, Glu<sup>23</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 74: (Aib<sup>8,35</sup>, D-Arg<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 75: (Aib<sup>8,35</sup>, D-Lys<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 76: (Aib<sup>8</sup>,  $\beta$ -Ala<sup>35</sup>, D-Arg<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 77: (Aib<sup>8</sup>,  $\beta$ -Ala<sup>35</sup>, D-Lys<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>
- 25 Example 78: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 79: (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 80: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 81: (Aib<sup>8</sup>, Arg<sup>25,26,34</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 82: (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)OH
- 30 Example 83: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-37)OH
- Example 84: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-37)OH
- Example 85: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl), D-Ala<sup>37</sup>)hGLP-1(7-37)OH
- Example 86: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)OH
- Example 87: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>37</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)OH

Example 88: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)OH

Example 89: (Aib<sup>8</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>37</sup>)hGLP-1(7-37)OH

Example 90: (Aib<sup>8,37</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-37)OH

Example 91: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Ado<sup>37</sup>)hGLP-1(7-37)OH

5 Example 92: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Ado<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>

Example 93: (Aib<sup>8</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl), D-Ala<sup>37</sup>)hGLP-1(7-37)OH

Example 94: (Aib<sup>8,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)OH

Example 95: (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>37</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)OH

Example 96: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

10 Example 97: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 98: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 99: (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 100: (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 101: (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

15 Example 102: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 103: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 104: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 105: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-decanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 106: (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

20 Example 107: (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 108: (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 109: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 110: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 111: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

25 Example 112: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 113: (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 114: (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 115: (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 116: (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-decanoyl), Arg<sup>34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

30 Example 117: (Aib<sup>8,35</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 118: (Aib<sup>8,35</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 119: (Aib<sup>8,35</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

- Example 120: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 121: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 122: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 123: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>
- 5 Example 124: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 125: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 126: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 127: (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 128: (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>
- 10 Example 129: (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 130: (Aib<sup>8,35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 131: (Aib<sup>8,35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 132: (Aib<sup>8,35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 133: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>
- 15 Example 134: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 135: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 136: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 137: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 138: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-38)NH<sub>2</sub>
- 20 Example 139: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-38)NH<sub>2</sub>
- Example 140: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)NH<sub>2</sub>
- Example 141: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-38)NH<sub>2</sub>
- Example 142: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-38)NH<sub>2</sub>
- Example 143: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-38)NH<sub>2</sub>
- 25 Example 144: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)NH<sub>2</sub>
- Example 145: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-38)NH<sub>2</sub>
- Example 146: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-38)NH<sub>2</sub>
- Example 147: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-38)NH<sub>2</sub>
- Example 148: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-38)NH<sub>2</sub>
- 30 Example 149: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-38)NH<sub>2</sub>
- Example 150: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-38)NH<sub>2</sub>
- Example 151: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)NH<sub>2</sub>

Example 152: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-38)NH<sub>2</sub>

Example 153: (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 154: (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 155: (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

5 Example 156: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 157: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 158: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 159: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 160: (Aib<sup>8</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

10 Example 161: (Aib<sup>8</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 162: (Aib<sup>8</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 163: (Aib<sup>8</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 164: (Aib<sup>8</sup>, Glu<sup>23</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 165: (Aib<sup>8</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

15 Example 166: (Aib<sup>8</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 167: (Aib<sup>8</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 168: (Aib<sup>8</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 169: (Aib<sup>8</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-decanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 170: (Aib<sup>8</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

20 Example 171: (Aib<sup>8</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 172: (Aib<sup>8</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 173: (Aib<sup>8</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-decanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 174: (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 175: (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

25 Example 176: (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 177: (Aib<sup>8</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 178: (Aib<sup>8</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 179: (Aib<sup>8</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 180: (Aib<sup>8</sup>, Arg<sup>26</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

30 Example 181: (Aib<sup>8</sup>, Arg<sup>26</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 182: (Aib<sup>8</sup>, Arg<sup>26</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 183: (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 184: (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 185: (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 186: (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 187: (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

5 Example 188: (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 189: (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 190: (Aib<sup>8</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 191: (Aib<sup>8</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

10 Example 192: (Aib<sup>8</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 193: (Aib<sup>8</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 194: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), A6c<sup>32</sup>, Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 195: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), A6c<sup>32</sup>, Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 196: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), A6c<sup>32</sup>, Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

15 Example 197: (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 198: (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 199: (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 200: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 201: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

20 Example 202: (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 203: (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 204: (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 205: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 206: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

25 Example 207: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 208: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 209: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 210: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 211: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

30 Example 212: (Aib<sup>8,24,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 213: (Aib<sup>8,24,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 214: (Aib<sup>8,24,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 215: (Aib<sup>8,24,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 216: (Aib<sup>8,24,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 217: (Aib<sup>8,24,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 218: (Aib<sup>8,24,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

5 Example 219: (Aib<sup>8,24,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 220: (Aib<sup>8,24,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 221: (Aib<sup>8,24,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 222: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 223: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

10 Example 224: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 225: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 226: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 227: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 228: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

15 Example 229: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 230: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 231: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 232: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 233: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

20 Example 234: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 235: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 236: (Aib<sup>8,30,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 237: (Aib<sup>8,30,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 238: (Aib<sup>8,30,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

25 Example 239: (Aib<sup>8,30,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 240: (Aib<sup>8,30,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 241: (Aib<sup>8,30,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 242: (Aib<sup>8,30,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 243: (Aib<sup>8,30,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

30 Example 244: (Aib<sup>8,30,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 245: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 246: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>



Example 247: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 248: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 249: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 250: (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 251: (Aib<sup>8,24,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 252: (Aib<sup>8,24,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 253: (Aib<sup>8,24,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 254: (Aib<sup>8,24,30,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 255: (Aib<sup>8,24,30,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 256: (Aib<sup>8,24,30,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 257: ((N<sup>α</sup>-HEPES-His)<sup>7</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 258: ((N<sup>α</sup>-HEPES-His)<sup>7</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 259: ((N<sup>α</sup>-HEPES-His)<sup>7</sup>, Aib<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 260: ((N<sup>α</sup>-HEPA-His)<sup>7</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 261: ((N<sup>α</sup>-HEPA-His)<sup>7</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 262: ((N<sup>α</sup>-HEPA-His)<sup>7</sup>, Aib<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 263: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 264: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 265: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 266: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 267: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Arg<sup>26,34</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 268: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 269: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8,35</sup>, Arg<sup>26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 270: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 271: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 272: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 273: ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 274: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanesulfonyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 275: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-dodecanesulfonyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

- Example 276: (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanesulfonyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 277: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 278: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-dodecanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 279: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>
- 5 Example 280: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 281: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 282: (Aib<sup>8,35</sup>, Asp<sup>26</sup>(1-(4-decylpiperazine))), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 283: (Aib<sup>8,35</sup>, Asp<sup>26</sup>(1-(4-dodecylpiperazine))), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 284: (Aib<sup>8,35</sup>, Asp<sup>26</sup>(1-(4-tetradecylpiperazine))), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>
- 10 Example 285: (Aib<sup>8,35</sup>, Asp<sup>26</sup>(1-(4-hexadecylpiperazine))), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 286: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Asp<sup>34</sup>(1-(4-decylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 287: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Asp<sup>34</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 288: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Asp<sup>34</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 289: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Asp<sup>34</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- 15 Example 290: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>36</sup>(1-(4-decylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 291: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>36</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 292: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>36</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 293: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-decylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>
- Example 294: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>
- 20 Example 295: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>
- Example 296: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>
- Example 297: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-decylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>
- Example 298: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>
- Example 299: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>
- 25 Example 300: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>
- Example 301: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Asp<sup>26</sup>(1-(4-decylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 302: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Asp<sup>26</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 303: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Asp<sup>26</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- 30 Example 304: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Asp<sup>26</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 305: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Asp<sup>34</sup>(1-(4-decylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 306: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Asp<sup>34</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 307: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Asp<sup>34</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>
- Example 308: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Asp<sup>34</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>

Example 309: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>36</sup>(1-(4-decylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>

Example 310: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>36</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>

Example 311: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>36</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>

Example 312: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>36</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-

5 36)NH<sub>2</sub>

Example 313: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-decylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>

Example 314: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>

Example 315: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>

Example 316: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-

10 38)NH<sub>2</sub>

Example 317: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-decylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>

Example 318: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>

Example 319: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>

15 Example 320: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>

Example 321: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Glu<sup>36</sup>(1-dodecylamino))hGLP-1(7-36)NH<sub>2</sub>

Example 322: (Aib<sup>8,35</sup>, Glu<sup>26</sup>(1-dodecylamino), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>

Example 323: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Glu<sup>34</sup>(1-dodecylamino))hGLP-1(7-36)NH<sub>2</sub>

Example 324: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Glu<sup>38</sup>(1-dodecylamino))hGLP-1(7-38)NH<sub>2</sub>

20 Example 325: (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 326: (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 327: (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

25 Example 328: (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 329: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 330: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

30 Example 331: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 332: (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 333: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 334: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

5 Example 335: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 336: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

10 Example 337: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

Example 338: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

Example 339: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

15 Example 340: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

Example 341: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

20 Example 342: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

Example 343: (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

Example 344: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

25 Example 345: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 346: (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

30 Example 347: Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 348: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 349: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 350: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

5 Example 351: (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 352: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

10 Example 353: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 354: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

Example 355: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>

15 Example 356: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

Example 357: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

20 Example 358: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

Example 359: (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

Example 360: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

25 Example 361: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

Example 362: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

30 Example 363: (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>

Example 364: (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)OH

Example 365: (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)OH

Example 370 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Ava<sup>37</sup>, Ado<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>

- Example 371 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>37</sup>, Ava<sup>38</sup>, Ado<sup>39</sup>)hGLP-1(7-39)NH<sub>2</sub>
- Example 372 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Aun<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>
- Example 373 (Aib<sup>8,17,35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 374 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, D-Asp<sup>37</sup>, Ava<sup>38</sup>, Aun<sup>39</sup>)hGLP-1(7-39)NH<sub>2</sub>
- 5 Example 375 (Gly<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 376 (Ser<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 377 (Aib<sup>8</sup>, Glu<sup>22,23</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 378 (Gly<sup>8</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 379 (Aib<sup>8</sup>, Lys<sup>18</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- 10 Example 380 (Aib<sup>8</sup>, Leu<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 381 (Aib<sup>8</sup>, Lys<sup>33</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 382 (Aib<sup>8</sup>, Lys<sup>18</sup>, Leu<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 383 (Aib<sup>8</sup>, D-Arg<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 384 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, D-Arg<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>
- 15 Example 385 (Aib<sup>8,27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 386 (Aib<sup>8,27</sup>, β-Ala<sup>35,37</sup>, Arg<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>
- Example 387 (Aib<sup>8,27</sup>, β-Ala<sup>35,37</sup>, Arg<sup>38,39</sup>)hGLP-1(7-39)NH<sub>2</sub>
- Example 388 (Aib<sup>8</sup>, Lys<sup>18,27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 389 (Aib<sup>8</sup>, Lys<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- 20 Example 390 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, Arg<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>
- Example 391 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 392 (Aib<sup>8</sup>, D-Arg<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 393 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, Arg<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>
- Example 394 (Aib<sup>8</sup>, Phe<sup>31</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>
- 25 Example 395 (Aib<sup>8,35</sup>, Phe<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 396 (Aib<sup>8,35</sup>, Nal<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 397 (Aib<sup>8,35</sup>, Nal<sup>28,31</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 398 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Nal<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 399 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Phe<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>
- 30 Example 400 (Aib<sup>8,35</sup>, Nal<sup>19,31</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 401 (Aib<sup>8,35</sup>, Nal<sup>12,31</sup>)hGLP-1(7-36)NH<sub>2</sub>
- Example 402 (Aib<sup>8,35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 403 (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>
- Example 404 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-dodecanoyl))hGLP-1(7-36)NH<sub>2</sub>

Example 405 (Aib<sup>8</sup>, B-Ala<sup>35</sup>, Ser<sup>37</sup>(O-decanoyl))hGLP1(7-37)-NH<sub>2</sub>

Example 406 (Aib<sup>8,27</sup>, β-Ala<sup>35,37</sup>, Arg<sup>38</sup>, Lys<sup>39</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-39)NH<sub>2</sub>

Example 407 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-37)NH<sub>2</sub>

Example 408 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-37)NH<sub>2</sub>

5 Example 409 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-37)NH<sub>2</sub>

Example 410 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-dodecanoyl))hGLP-1(7-37)NH<sub>2</sub>

Example 411 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-dodecanoyl))hGLP-1(8-37)NH<sub>2</sub>

Physical data for a representative sampling of the compounds exemplified herein are given in Table 1.

10

Example Number	Mol. Wt. Expected	Mol. Wt. MS(ES)	Purity (HPLC)
24	3351.8	3352.2	88%
26	3340.17	3340.9	99%
27	3353.81	3353.9	99%
29	3353.81	3353.9	99%
45	3352.6	3352.5	97%
51	3326.74	3326.6	99%
78	3395.81	3395.5	96%
136	3494	3494	99%
364	3523.02	3523.6	99%
365	3580.13	3580.3	95%
369	3677.25	3677	97%
370	3692.28	3692.4	98%
371	3807.37	3807.3	98%
372	3579.11	3579.7	97.90%
373	3337.81	3338.5	94%
374	3779.3	3779.5	94%
375	3297.7	3297.5	99%
376	3327.7	3327.4	98%
377	3398.8	3398.7	97.50%
378	3311.6	3311	93%
379	3366.85	3366.5	97%
380	3309.8	3309.4	99%
381	3354.8	3354.5	97.70%
382	3350.9	3350.3	97.20%
383	3311.73	3310.7	92%
384	3481.95	3481.3	94.30%
385	3281.76	3281.6	98%
386	3509.02	3509.1	99.40%
387	3665.2	3665.1	99%
388	3365.91	3365	97%
389	3324.79	3324.2	95%
390	3539	3539.2	93%
391	3381.74	3381.3	97%

392	3410.89	3409.8	99%
393	3481.95	3481.1	90%
394	3286.76	3286.2	99.20%
395	3300.76	3299.4	93%
396	3350.81	3349.4	99%
397	3400.87	3400.1	99%
398	3406.84	3406.4	99%
399	3356.77	3356.6	99%
400	3384.87	3384.43	94%
401	3400.87	3401.3	99%
402	3466.03	3466.9	97.40%
403	3522.05	3522.06	93%
404	3550.11	3550.2	98%
405	3567.09		99%
406	3763.38	3763.2	95%
407	3636.15	3635.8	99%
408	3664.21	3663.3	99%
409	3720.32	3719.5	99%
410	3692.27	3691.7	99%
411	3555.13	3554.4	99%

TABLE 1


09857636-10204  
T020T 9292960



**CLAIMS**

What is claimed is:

1. A compound of formula (I),



(I)

wherein

- $A^7$  is L-His, Ura, Paa, Pta, Amp, Tma-His, des-amino-His, or deleted;
- 10  $A^8$  is Ala, D-Ala, Aib, Acc, N-Me-Ala, N-Me-D-Ala or N-Me-Gly;
- $A^9$  is Glu, N-Me-Glu, N-Me-Asp or Asp;
- $A^{10}$  is Gly, Acc,  $\beta$ -Ala or Aib;
- $A^{11}$  is Thr or Ser;
- $A^{12}$  is Phe, Acc, Aic, Aib, 3-Pal, 4-Pal,  $\beta$ -Nal, Cha, Trp or  $X^1$ -Phe;
- 15  $A^{13}$  is Thr or Ser;
- $A^{14}$  is Ser or Aib;
- $A^{15}$  is Asp or Glu;
- $A^{16}$  is Val, Acc, Aib, Leu, Ile, Tle, Nle, Abu, Ala or Cha;
- $A^{17}$  is Ser or Thr;
- 20  $A^{18}$  is Ser or Thr;
- $A^{19}$  is Tyr, Cha, Phe, 3-Pal, 4-Pal, Acc,  $\beta$ -Nal or  $X^1$ -Phe;
- $A^{20}$  is Leu, Acc, Aib, Nle, Ile, Cha, Tle, Val, Phe or  $X^1$ -Phe;
- $A^{21}$  is Glu or Asp;
- $A^{22}$  is Gly, Acc,  $\beta$ -Ala, Glu or Aib;
- 25  $A^{23}$  is Gln, Asp, Asn or Glu;
- $A^{24}$  is Ala, Aib, Val, Abu, Tle or Acc;
- $A^{25}$  is Ala, Aib, Val, Abu, Tle, Acc, Lys, Arg, hArg, Orn,  $HN-CH((CH_2)_n-N(R^{10}R^{11}))-C(O)$  or  $HN-CH((CH_2)_e-X^3)-C(O)$ ;
- $A^{26}$  is Lys, Arg, hArg, Orn,  $HN-CH((CH_2)_n-N(R^{10}R^{11}))-C(O)$  or  $HN-CH((CH_2)_e-X^3)-$
- 30  $C(O)$ ;
- $A^{27}$  is Glu Asp, Leu, Aib or Lys;
- $A^{28}$  is Phe, Pal,  $\beta$ -Nal,  $X^1$ -Phe, Aic, Acc, Aib, Cha or Trp;
- $A^{29}$  is Ile, Acc, Aib, Leu, Nle, Cha, Tle, Val, Abu, Ala or Phe;
- $A^{30}$  is Ala, Aib or Acc;

A<sup>31</sup> is Trp,  $\beta$ -Nal, 3-Pal, 4-Pal, Phe, Acc, Aib or Cha;

A<sup>32</sup> is Leu, Acc, Aib, Nle, Ile, Cha, Tle, Phe, X<sup>1</sup>-Phe or Ala;

A<sup>33</sup> is Val, Acc, Aib, Leu, Ile, Tle, Nle, Cha, Ala, Phe, Abu, Lys or X<sup>1</sup>-Phe;

A<sup>34</sup> is Lys, Arg, hArg, Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O) or HN-CH((CH<sub>2</sub>)<sub>e</sub>-X<sup>3</sup>)-C(O);

A<sup>35</sup> is Gly,  $\beta$ -Ala, D-Ala, Gaba, Ava, HN-(CH<sub>2</sub>)<sub>m</sub>-C(O), Aib, Acc or a D-amino acid;

A<sup>36</sup> is L- or D-Arg, D- or L-Lys, D- or L-hArg, D- or L-Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O), HN-CH((CH<sub>2</sub>)<sub>e</sub>-X<sup>3</sup>)-C(O) or deleted;

A<sup>37</sup> is Gly,  $\beta$ -Ala, Gaba, Ava, Aib, Acc, Ado, Arg, Asp, Aun, Aec, HN-(CH<sub>2</sub>)<sub>m</sub>-C(O),


HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O), a D-amino acid, or deleted;

A<sup>38</sup> is D- or L-Lys, D- or L-Arg, D- or L-hArg, D- or L-Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O), HN-CH((CH<sub>2</sub>)<sub>e</sub>-X<sup>3</sup>)-C(O) Ava, Ado, Aec or deleted;


A<sup>39</sup> is D- or L-Lys, D- or L-Arg, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O), Ava, Ado, or Aec;

X<sup>1</sup> for each occurrence is independently selected from the group consisting of (C<sub>1</sub>-C<sub>6</sub>)alkyl, OH and halo;

R<sup>1</sup> is OH, NH<sub>2</sub>, (C<sub>1</sub>-C<sub>30</sub>)alkoxy, or NH-X<sup>2</sup>-CH<sub>2</sub>-Z<sup>0</sup>, wherein X<sup>2</sup> is a (C<sub>1</sub>-C<sub>12</sub>)hydrocarbon moiety, and Z<sup>0</sup> is H, OH, CO<sub>2</sub>H or CONH<sub>2</sub>;




X<sup>3</sup> is




or -C(O)-NHR<sup>12</sup>, wherein X<sup>4</sup> is, independently for each occurrence, -C(O)-, -NH-C(O)- or -CH<sub>2</sub>-, and wherein f is, independently for each occurrence, an integer from 1 to 29 inclusive;

each of R<sup>2</sup> and R<sup>3</sup> is independently selected from the group consisting of H, (C<sub>1</sub>-C<sub>30</sub>)alkyl, (C<sub>2</sub>-C<sub>30</sub>)alkenyl, phenyl(C<sub>1</sub>-C<sub>30</sub>)alkyl, naphthyl(C<sub>1</sub>-C<sub>30</sub>)alkyl, hydroxy(C<sub>1</sub>-C<sub>30</sub>)alkyl, hydroxy(C<sub>2</sub>-C<sub>30</sub>)alkenyl, hydroxyphenyl(C<sub>1</sub>-C<sub>30</sub>)alkyl, and

hydroxynaphthyl(C<sub>1</sub>-C<sub>30</sub>)alkyl; or one of R<sup>2</sup> and R<sup>3</sup> is (CH<sub>3</sub>)<sub>2</sub>-N-C=N<sup>+</sup>(CH<sub>3</sub>)<sub>2</sub>, (C<sub>1</sub>-C<sub>30</sub>)acyl, (C<sub>1</sub>-C<sub>30</sub>)alkylsulfonyl, C(O)X<sup>5</sup>,



, or



; wherein Y is H, OH or NH<sub>2</sub>; r is 0 to 4; q is 0 to 4;


and X<sup>5</sup> is (C<sub>1</sub>-C<sub>30</sub>)alkyl, (C<sub>2</sub>-C<sub>30</sub>)alkenyl, phenyl(C<sub>1</sub>-C<sub>30</sub>)alkyl, naphthyl(C<sub>1</sub>-C<sub>30</sub>)alkyl, hydroxy(C<sub>1</sub>-C<sub>30</sub>)alkyl, hydroxy(C<sub>2</sub>-C<sub>30</sub>)alkenyl, hydroxyphenyl(C<sub>1</sub>-C<sub>30</sub>)alkyl or hydroxynaphthyl(C<sub>1</sub>-C<sub>30</sub>)alkyl;

5 e is, independently for each occurrence, an integer from 1 to 4 inclusive;

m is, independently for each occurrence, an integer from 5 to 24 inclusive;

n is, independently for each occurrence, an integer from 1 to 5, inclusive;

each of R<sup>10</sup> and R<sup>11</sup> is, independently for each occurrence, H, (C<sub>1</sub>-C<sub>30</sub>)alkyl, (C<sub>1</sub>-C<sub>30</sub>)acyl, (C<sub>1</sub>-C<sub>30</sub>)alkylsulfonyl, -C((NH)(NH<sub>2</sub>)) or




10 ; and

R<sup>12</sup> and R<sup>13</sup> each is, independently for each occurrence, (C<sub>1</sub>-C<sub>30</sub>)alkyl;

provided that:

when A<sup>7</sup> is Ura, Paa or Pta, then R<sup>2</sup> and R<sup>3</sup> are deleted;

when R<sup>10</sup> is (C<sub>1</sub>-C<sub>30</sub>)acyl, (C<sub>1</sub>-C<sub>30</sub>)alkylsulfonyl, -C((NH)(NH<sub>2</sub>)) or



15 , then R<sup>11</sup> is H or (C<sub>1</sub>-C<sub>30</sub>)alkyl;

(i) at least one amino acid of a compound of formula (I) is not the same as the native sequence of hGLP-1(7-36, -37 or -38)NH<sub>2</sub> or hGLP-1(7-36, -37 or -38)OH;

(ii) a compound of formula (I) is not an analogue of hGLP-1(7-36, -37 or -38)NH<sub>2</sub> or hGLP-1(7-36, -37 or -38)OH wherein a single position has been substituted by Ala;

20 (iii) a compound of formula (I) is not (Arg<sup>26,34</sup>, Lys<sup>38</sup>)hGLP-1(7-38)-E, (Lys<sup>26</sup>(N<sub>e</sub>-alkanoyl))hGLP-1(7-36, -37 or -38)-E, (Lys<sup>34</sup>(N<sub>e</sub>-alkanoyl))hGLP-1(7-36, -37 or -38)-E, (Lys<sup>26,34</sup>-bis(N<sub>e</sub>-alkanoyl))hGLP-1(7-36, -37 or -38)-E, (Arg<sup>26</sup>, Lys<sup>34</sup>(N<sub>e</sub>-alkanoyl))hGLP-1(8-36, -37 or -38)-E, (Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sub>e</sub>-alkanoyl))hGLP-1(7-36, -37 or -38)-E or (Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sub>e</sub>-alkanoyl))hGLP-1(7-38)-E, wherein E is -OH or -NH<sub>2</sub>;

25 (iv) a compound of formula (I) is not Z<sup>1</sup>-hGLP-1(7-36, -37 or -38)-OH, Z<sup>1</sup>-hGLP-1(7-36, -37 or -38)-NH<sub>2</sub>, wherein Z<sup>1</sup> is selected from the group consisting of:

(e) (Arg<sup>26</sup>), (Arg<sup>34</sup>), (Arg<sup>26,34</sup>), (Lys<sup>36</sup>), (Arg<sup>26</sup>, Lys<sup>36</sup>), (Arg<sup>34</sup>, Lys<sup>36</sup>), (D-Lys<sup>36</sup>), (Arg<sup>35</sup>), (D-Arg<sup>36</sup>), (Arg<sup>26,34</sup>, Lys<sup>36</sup>) or (Arg<sup>26,36</sup>, Lys<sup>34</sup>);

(f) (Asp<sup>21</sup>);

(g) at least one of (Aib<sup>8</sup>), (D-Ala<sup>8</sup>) and (Asp<sup>9</sup>); and

(h) (Tyr<sup>7</sup>), (N-acyl-His<sup>7</sup>), (N-alkyl-His<sup>7</sup>), (N-acyl-D-His<sup>7</sup>) or (N-alkyl-D-His<sup>7</sup>);

(v) a compound of formula (I) is not a combination of any two of the substitutions listed in groups (a) to (d); and

(vi) a compound of formula (I) is not (N-Me-Ala<sup>8</sup>)hGLP-1(8-36 or -37), (Glu<sup>15</sup>)hGLP-1(7-36 or -37), (Asp<sup>21</sup>)hGLP-1(7-36 or -37) or (Phe<sup>31</sup>)hGLP-1(7-36 or -37) or a pharmaceutically acceptable salt thereof.

2. A compound according to claim 1, wherein A<sup>11</sup> is Thr; A<sup>13</sup> is Thr; A<sup>15</sup> is Asp; A<sup>17</sup> is Ser; A<sup>18</sup> is Ser; A<sup>21</sup> is Glu; A<sup>23</sup> is Gln or Glu; A<sup>27</sup> is Glu; and A<sup>31</sup> is Trp; or a pharmaceutically acceptable salt thereof.


3. A compound according to claim 2, wherein A<sup>9</sup> is Glu, N-Me-Glu or N-Me-Asp; A<sup>12</sup> is Phe, Acc or Aic; A<sup>16</sup> is Val, Acc or Aib; A<sup>19</sup> is Tyr; A<sup>20</sup> is Leu, Acc or Cha; A<sup>24</sup> is Ala, Aib or Acc; A<sup>25</sup> is Ala, Aib, Acc, Lys, Arg, hArg, Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R<sup>10</sup>R<sup>11</sup>))-C(O) or HN-CH((CH<sub>2</sub>)<sub>e</sub>-X<sup>3</sup>)-C(O); A<sup>28</sup> is Phe; A<sup>29</sup> is Ile or Acc; A<sup>30</sup> is Ala or Aib; A<sup>32</sup> is Leu, Acc or Cha; and A<sup>33</sup> is Val or Acc; or a pharmaceutically acceptable salt thereof.

4. A compound according to claim 3, wherein A<sup>8</sup> is Ala, D-Ala, Aib, A6c, A5c, N-Me-Ala, N-Me-D-Ala or N-Me-Gly; A<sup>10</sup> is Gly; A<sup>12</sup> is Phe, A6c or A5c; A<sup>16</sup> is Val, A6c or A5c; A<sup>20</sup> is Leu, A6c, A5c or Cha; A<sup>22</sup> is Gly, β-Ala or Aib; A<sup>24</sup> is Ala or Aib; A<sup>29</sup> is Ile, A6c or A5c; A<sup>32</sup> is Leu, A6c, A5c or Cha; A<sup>33</sup> is Val, A6c or A5c; A<sup>35</sup> is Aib, β-Ala, Ado, A6c, A5c or Gly; and A<sup>37</sup> is Gly, Aib, β-Ala, Ado, D-Ala or deleted; or a pharmaceutically acceptable salt thereof.


5. A compound according to claim 4 or a pharmaceutically acceptable salt thereof, wherein X<sup>4</sup> for each occurrence is -C(O)-; e for each occurrence is independently 1 or 2; and R<sup>1</sup> is OH or NH<sub>2</sub>.

6. A compound according to claim 5 or a pharmaceutically acceptable salt thereof, wherein R<sup>2</sup> is H and R<sup>3</sup> is (C<sub>1</sub>-C<sub>30</sub>)alkyl, (C<sub>2</sub>-C<sub>30</sub>)alkenyl, (C<sub>1</sub>-C<sub>30</sub>)acyl, (C<sub>1</sub>-C<sub>30</sub>)alkylsulfonyl,


-47-



7. A compound according to claim 5 or a pharmaceutically acceptable salt thereof, wherein  $\text{R}^{10}$  is  $(\text{C}_1\text{-C}_{30})\text{acyl}$ ,  $(\text{C}_1\text{-C}_{30})\text{alkylsulfonyl}$  or



8. A compound according to claim 7 or a pharmaceutically acceptable salt thereof, wherein  $\text{R}^{10}$  is  $(\text{C}_4\text{-C}_{20})\text{acyl}$ ,  $(\text{C}_4\text{-C}_{20})\text{alkylsulfonyl}$  or



9. A compound according to claim 1 wherein said compound is  $(\text{Aib}^{8,35})\text{hGLP-1(7-36)NH}_2$ ,

$((\text{N}_\alpha\text{-HEPES-His})^7, \text{Aib}^{8,35})\text{hGLP-1(7-36)NH}_2$ ,

$((\text{N}_\alpha\text{-HEPA-His})^7, \text{Aib}^{8,35})\text{hGLP-1(7-36)NH}_2$ ,

$(\text{Aib}^8, \beta\text{-Ala}^{35})\text{hGLP-1(7-36)NH}_2$ ,

$(\text{Aib}^{8,35}, \text{Arg}^{26,34}, \text{Lys}^{36}(\text{N}_\epsilon\text{-tetradecanoyl}))\text{hGLP-1(7-36)NH}_2$ ,

$(\text{Aib}^{8,35}, \text{Arg}^{26}, \text{Lys}^{34}(\text{N}_\epsilon\text{-tetradecanoyl}))\text{hGLP-1(7-36)NH}_2$ ,

$(\text{Aib}^{8,35,37}, \text{Arg}^{26,34}, \text{Lys}^{38}(\text{N}_\epsilon\text{-tetradecanoyl}))\text{hGLP-1(7-38)NH}_2$ ,

$(\text{Aib}^{8,35}, \text{Arg}^{26,34}, \text{Lys}^{36}(\text{N}_\epsilon\text{-decanoyl}))\text{hGLP-1(7-36)NH}_2$ ,

$(\text{Aib}^{8,35}, \text{Arg}^{26,34}, \text{Lys}^{36}(\text{N}_\epsilon\text{-dodecanesulfonyl}))\text{hGLP-1(7-36)NH}_2$ ,

$(\text{Aib}^{8,35}, \text{Arg}^{26,34}, \text{Lys}^{36}(\text{N}_\epsilon\text{-(2-(4-tetradecyl-1-piperazine)-acetyl))})\text{hGLP-1(7-36)NH}_2$ ,

$(\text{Aib}^{8,35}, \text{Arg}^{26,34}, \text{Asp}^{36}(1\text{-(4-tetradecyl-piperazine)}))\text{hGLP-1(7-36)NH}_2$ ,

$(\text{Aib}^{8,35}, \text{Arg}^{26,34}, \text{Asp}^{36}(1\text{-tetradecylamino}))\text{hGLP-1(7-36)NH}_2$ ,

$(\text{Aib}^{8,35}, \text{Arg}^{26,34}, \text{Lys}^{36}(\text{N}_\epsilon\text{-tetradecanoyl}), \beta\text{-Ala}^{37})\text{hGLP-1(7-37)-OH}$  or

$(\text{Aib}^{8,35}, \text{Arg}^{26,34}, \text{Lys}^{36}(\text{N}_\epsilon\text{-tetradecanoyl}))\text{hGLP-1(7-36)-OH}$ , or a pharmaceutically acceptable salt thereof.

10. A compound according to claim 9 wherein said compound is

$(\text{Aib}^{8,35})\text{hGLP-1(7-36)NH}_2$ ,

- (Aib<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>,  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>,  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)NH<sub>2</sub>,  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>, or  
 5 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>37</sup>)hGLP-1(7-37)-OH, or a  
 pharmaceutically acceptable salt thereof.

11. A pharmaceutical composition comprising an effective amount of a compound according to claim 1 or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier or diluent.

- 10 12. A method of eliciting an agonist effect from a GLP-1 receptor in a subject in need thereof which comprises administering to said subject an effective amount of a compound according to claim 1 or a pharmaceutically acceptable salt thereof.

13. A method of treating a disease selected from the group consisting of  
 15 Type I diabetes, Type II diabetes, obesity, glucagonomas, secretory disorders of the airway, metabolic disorder, arthritis, osteoporosis, central nervous system disease, restenosis and neurodegenerative disease, in a subject in need thereof which comprises administering to said subject an effective amount of a compound according to claim 1 or a pharmaceutically acceptable salt thereof.

- 20 14. A method according to claim 13 wherein said disease is Type I diabetes or Type II diabetes.

15. A compound according to claim 1 wherein said compound is

- (Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 25 ((N<sup>α</sup>-Me-His)<sup>7</sup>, Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-Me-His)<sup>7</sup>, Aib<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-Me-His)<sup>7</sup>, Aib<sup>8,35</sup>, Arg<sup>26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-Me-His)<sup>7</sup>, Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, A6c<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8</sup>, A5c<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, D-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A5c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>)hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8,24,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,30,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,25,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A6c<sup>16,20</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8,35</sup>, A6c<sup>16,29,32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A6c<sup>20,32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A6c<sup>20</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, A6c<sup>20</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 10 (Aib<sup>8,35</sup>, A6c<sup>29,32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, A6c<sup>29,32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A6c<sup>12</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Cha<sup>20</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A6c<sup>33</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 15 (Aib<sup>8,35</sup>, A6c<sup>20,32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, A6c<sup>16,20</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, β-Ala<sup>22</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,22,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 20 (Aib<sup>8,24,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,25,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,25,35</sup>, A6c<sup>16,20,32</sup>, Glu<sup>23</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, A6c<sup>32</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, A5c<sup>32</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 25 (Aib<sup>8</sup>, Glu<sup>23</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,30</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,25</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, A6c<sup>16,20</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8</sup>, A6c<sup>16,29,32</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, A6c<sup>20,32</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, A6c<sup>20</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>25</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24</sup>, A6c<sup>20</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8</sup>, A6c<sup>29,32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24</sup>, A6c<sup>29,32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, A6c<sup>12</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Cha<sup>20</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8</sup>, A6c<sup>33</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, A6c<sup>20,32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>,  $\beta$ -Ala<sup>22,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,22</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 10 (Aib<sup>8,24</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl),  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,25</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,25</sup>, A6c<sup>16,20,32</sup>, Glu<sup>23</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, D-Arg<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 15 (Aib<sup>8,35</sup>, D-Lys<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>,  $\beta$ -Ala<sup>35</sup>, D-Arg<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>,  $\beta$ -Ala<sup>35</sup>, D-Lys<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 20 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>25,26,34</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)OH;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-37)OH;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-37)OH;  
 25 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl), D-Ala<sup>37</sup>)hGLP-1(7-37)OH;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)OH;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>37</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)OH;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)OH;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl),  $\beta$ -Ala<sup>37</sup>)hGLP-1(7-37)OH;  
 30 (Aib<sup>8,37</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-37)OH;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Ado<sup>37</sup>)hGLP-1(7-37)OH;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Ado<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl), D-Ala<sup>37</sup>)hGLP-1(7-37)OH;



- (Aib<sup>8,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)OH;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>37</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)OH;  
 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 10 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-decanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 15 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 20 (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-decanoyl), Arg<sup>34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 25 (Aib<sup>8,35</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8,35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 10 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 15 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 20 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 25 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Glu<sup>23</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 10 (Aib<sup>8</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-decanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 15 (Aib<sup>8</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-decanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 20 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 25 (Aib<sup>8</sup>, Arg<sup>26</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl), β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), A6c<sup>32</sup>, Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), A6c<sup>32</sup>, Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), A6c<sup>32</sup>, Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 10 (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 15 (Aib<sup>8,35</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 20 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 25 (Aib<sup>8,24,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8,24,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 10 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 15 (Aib<sup>8,30,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,30,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-tetradecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,30,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanoyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,30,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,30,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 20 (Aib<sup>8,30,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,30,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,30,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,30,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 25 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8,24,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8,24,30,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,30,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,24,30,35</sup>, Glu<sup>23</sup>, Arg<sup>26,34</sup>, A6c<sup>32</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-HEPES-His)<sup>7</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 5 ((N<sup>α</sup>-HEPES-His)<sup>7</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-HEPES-His)<sup>7</sup>, Aib<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-HEPA-His)<sup>7</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-HEPA-His)<sup>7</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-HEPA-His)<sup>7</sup>, Aib<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 10 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Arg<sup>26,34</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 15 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8,35</sup>, Arg<sup>26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 20 ((N<sup>α</sup>-tetradecanoyl-His)<sup>7</sup>, Aib<sup>8</sup>, Arg<sup>25,26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-octanesulfonyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-dodecanesulfonyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-hexadecanesulfonyl), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-octanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>;  
 25 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-dodecanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-hexadecanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-hexadecanesulfonyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Asp<sup>26</sup>(1-(4-decylpiperazine))), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8,35</sup>, Asp<sup>26</sup>(1-(4-dodecylpiperazine))), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Asp<sup>26</sup>(1-(4-tetradecylpiperazine))), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Asp<sup>26</sup>(1-(4-hexadecylpiperazine))), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Asp<sup>34</sup>(1-(4-decylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Asp<sup>34</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Asp<sup>34</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Asp<sup>34</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>36</sup>(1-(4-decylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>36</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>36</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-decylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 10 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-decylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 15 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Asp<sup>38</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Asp<sup>26</sup>(1-(4-decylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Asp<sup>26</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Asp<sup>26</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Asp<sup>26</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 20 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Asp<sup>34</sup>(1-(4-decylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Asp<sup>34</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Asp<sup>34</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Asp<sup>34</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>36</sup>(1-(4-decylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 25 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>36</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>36</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>36</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-decylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 30 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-decylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-dodecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-tetradecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;

- (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Asp<sup>38</sup>(1-(4-hexadecylpiperazine)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Glu<sup>36</sup>(1-dodecylamino))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>26</sup>(1-dodecylamino), Arg<sup>34</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Glu<sup>34</sup>(1-dodecylamino))hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Glu<sup>38</sup>(1-dodecylamino))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 10 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 15 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 20 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 25 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 Aib<sup>8,35</sup>, Arg<sup>25,34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26</sup>, Lys<sup>34</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;



- (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-decyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 10 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-dodecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-tetradecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35,37</sup>, Arg<sup>25,26,34</sup>, Lys<sup>38</sup>(N<sup>ε</sup>-(2-(4-hexadecyl-1-piperazine)-acetyl)))hGLP-1(7-38)NH<sub>2</sub>;  
 15 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)OH;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)OH;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Ava<sup>37</sup>, Ado<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>37</sup>, Ava<sup>38</sup>, Ado<sup>39</sup>)hGLP-1(7-39)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Aun<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>;  
 20 (Aib<sup>8,17,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, D-Asp<sup>37</sup>, Ava<sup>38</sup>, Aun<sup>39</sup>)hGLP-1(7-39)NH<sub>2</sub>;  
 (Gly<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Ser<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Glu<sup>22,23</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 25 (Gly<sup>8</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>18</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Leu<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>33</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>18</sup>, Leu<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8</sup>, D-Arg<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, D-Arg<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>;  
 (Aib<sup>8,27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,27</sup>, β-Ala<sup>35,37</sup>, Arg<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>;

- (Aib<sup>8,27</sup>,  $\beta$ -Ala<sup>35,37</sup>, Arg<sup>38,39</sup>)hGLP-1(7-39)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>18,27</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>27</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>,  $\beta$ -Ala<sup>35</sup>, Arg<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>;  
 5 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, D-Arg<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>,  $\beta$ -Ala<sup>35</sup>, Arg<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Phe<sup>31</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Phe<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 10 (Aib<sup>8,35</sup>, Nal<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Nal<sup>28,31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Nal<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Phe<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Nal<sup>19,31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 15 (Aib<sup>8,35</sup>, Nal<sup>12,31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-dodecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, B-Ala<sup>35</sup>, Ser<sup>37</sup>(O-decanoyl))hGLP-1(7-37)-NH<sub>2</sub>;  
 20 (Aib<sup>8,27</sup>,  $\beta$ -Ala<sup>35,37</sup>, Arg<sup>38</sup>, Lys<sup>39</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-39)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-37)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-37)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-37)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-dodecanoyl))hGLP-1(7-37)NH<sub>2</sub>; or  
 25 (Aib<sup>8</sup>, Arg<sup>26,34</sup>,  $\beta$ -Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-dodecanoyl))hGLP-1(8-37)NH<sub>2</sub>;  
 or a pharmaceutically acceptable salt thereof.
16. A compound according to claim 15 wherein said compound is  
 (Aib<sup>8,35</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8,24,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Glu<sup>23</sup>, A6c<sup>32</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Glu<sup>23</sup>,  $\beta$ -Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>)hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)OH;  
 (Aib<sup>8,35</sup>, Lys<sup>25</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)OH;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-Aec-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
 5 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Ava<sup>37</sup>, Ado<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Asp<sup>37</sup>, Ava<sup>38</sup>, Ado<sup>39</sup>)hGLP-1(7-39)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Aun<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>;  
 (Aib<sup>8,17,35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, D-Asp<sup>37</sup>, Ava<sup>38</sup>, Aun<sup>39</sup>)hGLP-1(7-39)NH<sub>2</sub>;  
 10 (Gly<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Ser<sup>8</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Glu<sup>22,23</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Gly<sup>8</sup>, Aib<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>18</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 15 (Aib<sup>8</sup>, Leu<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>33</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>18</sup>, Leu<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, D-Arg<sup>36</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, D-Arg<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>;  
 20 (Aib<sup>8,27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,27</sup>, β-Ala<sup>35,37</sup>, Arg<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8,27</sup>, β-Ala<sup>35,37</sup>, Arg<sup>38,39</sup>)hGLP-1(7-39)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>18,27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Lys<sup>27</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 25 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, Arg<sup>38</sup>)hGLP-1(7-38)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, D-Arg<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, β-Ala<sup>35</sup>, Arg<sup>37</sup>)hGLP-1(7-37)NH<sub>2</sub>;  
 (Aib<sup>8</sup>, Phe<sup>31</sup>, β-Ala<sup>35</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 30 (Aib<sup>8,35</sup>, Phe<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Nal<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Nal<sup>28,31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Nal<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Phe<sup>31</sup>)hGLP-1(7-36)NH<sub>2</sub>;

- (Aib<sup>8,35</sup>, Nal<sup>19,31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
(Aib<sup>8,35</sup>, Nal<sup>12,31</sup>)hGLP-1(7-36)NH<sub>2</sub>;  
(Aib<sup>8,35</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
(Aib<sup>8,35</sup>, Arg<sup>34</sup>, Lys<sup>26</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
5 (Aib<sup>8,35</sup>, Arg<sup>26,34</sup>, Lys<sup>36</sup>(N<sup>ε</sup>-dodecanoyl))hGLP-1(7-36)NH<sub>2</sub>;  
(Aib<sup>8</sup>, B-Ala<sup>35</sup>, Ser<sup>37</sup>(O-decanoyl))hGLP-1(7-37)-NH<sub>2</sub>;  
(Aib<sup>8,27</sup>, β-Ala<sup>35,37</sup>, Arg<sup>38</sup>, Lys<sup>39</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-39)NH<sub>2</sub>;  
(Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-octanoyl))hGLP-1(7-37)NH<sub>2</sub>;  
(Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-decanoyl))hGLP-1(7-37)NH<sub>2</sub>; or  
10 (Aib<sup>8</sup>, Arg<sup>26,34</sup>, β-Ala<sup>35</sup>, Lys<sup>37</sup>(N<sup>ε</sup>-tetradecanoyl))hGLP-1(7-37)NH<sub>2</sub>;  
or a pharmaceutically acceptable salt thereof.

17. Use of a compound as claimed in any of claims 1 to 10, or 15 or 16,  
in the preparation of a medicament for the treatment of disease.

15 18. Use as claimed in claim 17, in which the disease is selected from the  
group consisting of Type I diabetes, Type II diabetes, obesity, glucagonomas,  
secretory disorders of the airway, metabolic disorder, arthritis, osteoporosis, central  
nervous system disease, restenosis and neurodegenerative disease.

## COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled ANALOGUES OF GLP-1, the specification of which:

☐ is attached hereto.

☒ was filed on June 7, 2001 as Application Serial No. 09/857,636 and was amended on \_\_\_\_\_.

☒ was described and claimed in PCT International Application No. PCT/EP99/09660 filed on December 7, 1999 and as amended under PCT Article 19 on \_\_\_\_\_.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim the benefit under Title 35, United States Code, §119(e)(1) of any United States provisional application(s) listed below:

<u>U.S. Serial No.</u>	<u>Filing Date</u>	<u>Status</u>
60/111,255	December 7, 1998	Expired

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose all information I know to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>U.S. Serial No.</u>	<u>Filing Date</u>	<u>Status</u>
09/206,601	December 7, 1998	Abandon

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

<u>Country</u>	<u>Application No.</u>	<u>Filing Date</u>	<u>Priority Claimed</u>
			<input type="checkbox"/> Yes <input type="checkbox"/> No
			<input type="checkbox"/> Yes <input type="checkbox"/> No

**Combined Declaration and Power of Attorney**

Page 2 of 2 Pages

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Y. Rocky Tsao, Reg. No. 34,053; Brian R. Morrill Reg. No. 42,098; Alan F. Feeney Reg. No. 43,609; Timothy A. French, Reg. No. 30,175; Eric L. Prah, Reg. No. 32,590; and Frank R. Occhuiti, Reg. No. 35,306.

Address all telephone calls to Brian R. Morrill at telephone number (508) 478-0144.

Address all correspondence to Brian R. Morrill, Esq. at:

Biomeasure, Incorporated

27 Maple Street

Milford, MA 01757

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full Name of Inventor: ZHENG XIN DONG

Inventor's Signature: *Zhengxin Dong*

Residence Address: Holliston, Massachusetts

Citizenship: US

Post Office Address: 66 Fairview Street  
Holliston, Massachusetts 01746  
United States of America

Date: 10-31-2001

Rec'd PCT/PTO 22 JAN 2002

## SEQUENCE LISTING

09/857636

&lt;110&gt; Dong, Zheng Xin

&lt;120&gt; Analogues of GLP-1

&lt;130&gt; 00537-186002

&lt;140&gt; US 09/857,636

&lt;141&gt; 2001-06-07

&lt;150&gt; PCT/EP99/09660

&lt;151&gt; 1999-12-07

&lt;150&gt; US 60/111,255

&lt;151&gt; 1998-12-07

&lt;150&gt; US 09/206,601

&lt;151&gt; 1998-12-07

&lt;160&gt; 415

&lt;170&gt; FastSEQ for Windows Version 4.0

&lt;210&gt; 1

&lt;211&gt; 30

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1

His Ala Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly

1

5

10

15

Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Gly Arg

20

25

30

&lt;210&gt; 2

&lt;211&gt; 30

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Mutagen

&lt;221&gt; VARIANT

&lt;222&gt; 2, 29

&lt;223&gt; Xaa = Aib (alpha-aminoisobutyric acid)

&lt;221&gt; VARIANT

&lt;222&gt;

&lt;223&gt; this sequence has an amidated c-terminus

&lt;400&gt; 2

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly

1

5

10

15

Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg

20

25

30

09857636-1000

<210> 3  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 1  
 <223> Xaa = N-alpha-HEPES-His  
 (N-alpha-(4-(2-hydroxyethyl)-1-piperazine-ethanesulfonic  
 acid)-histidine)

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)  
 <221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 3  
 Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 4  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 1  
 <223> Xaa = Na-HEPA-His  
 (N-alpha-(4-(2-hydroxyethyl)-1-piperazineacetyl)-  
 histidine)

<221> VARIANT  
 <222> 2,29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 4  
 Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

0955765-110201



<210> 5  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 5  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 6  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 6  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 7  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

TO20T " 9E9/5850

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 7

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
			20					25					30		

<210> 8

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 8

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
			20					25					30		

<210> 9

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

09552560

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 9

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly

1 5 10 15

Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa

20 25 30

<210> 10

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-dodecanesulfonyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 10

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly

1 5 10 15

Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa

20 25 30

<210> 11

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa =

005576-1001 "92925860"

N-epsilon-(2-(4-tetradecyl-1-piperazine)-acetyl)lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 11

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20				25						30		

<210> 12

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = 1-(4-tetradecyl-piperazine)asparagine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 12

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20				25						30		

<210> 13

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = (1-tetradecylamino)asparagine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

09857636-1000

<400> 13  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
           20                  25                  30

<210> 14  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222> 31  
 <223> Xaa = beta-alanine

<221> VARIANT  
 <222>  
 <223> Xaa = this sequence has a hydroxylated c-terminus

<400> 14  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa Xaa  
           20                  25                  30

<210> 15  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has a hydroxylated c-terminus

TO207T "98925850

<400> 15

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20					25					30		

<210> 16

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 16

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 17

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2,29

<223> Xaa = alpha-aminoisobutyric acid

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 17

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 18

<211> 30

<212> PRT

T020T-925360

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 18

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Xaa	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 19

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2,29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 19

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 20

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

102011 9932560

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-alanine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 20  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Glu Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 21  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2,29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 21  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 22  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 22

TOCTE 2560



His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 23  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has a hydroxylated c-terminus

<400> 23  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 24  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222>  
 <223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has a hydroxylated c-terminus

<400> 24  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Lys Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

TOPT "9295360

<210> 25  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-alanine

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-4-(2-aminoethyl)-1-carboxymethyl-piperazine-decanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 25  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
           20                  25                  30

<210> 26  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 31  
 <223> Xaa = Ava (5-aminovaleric acid)

<221> VARIANT  
 <222> 32  
 <223> Xaa = Ado (12-aminododecanoic acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 26  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly

098576740201

1                      5                      10                      15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa Xaa Xaa  
                     20                      25                      30

<210> 27  
 <211> 33  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 32  
 <223> Xaa = Ava (5-aminovaleric acid)

<221> VARIANT  
 <222> 33  
 <223> Xaa = Ado (12-aminododecanoic acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 27  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                      5                      10                      15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Asp Xaa  
                     20                      25                      30  
 Xaa

<210> 28  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 31  
 <223> Xaa = Aun (11-aminoundecanoic acid)

<400> 28  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                      5                      10                      15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa  
                     20                      25                      30

00857636-11004

<210> 29  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 11, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<400> 29  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Xaa Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
                   20                  25                  30

<210> 30  
 <211> 33  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 31  
 <223> Xaa = D-Asp

<221> VARIANT  
 <222> 32  
 <223> Xaa = Ava (5-aminovaleric acid)

<221> VARIANT  
 <222> 33  
 <223> Xaa = Aun (11-aminoundecanoic acid)

<400> 30  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa Xaa  
                   20                  25                  30  
 Xaa

<210> 31  
 <211> 30

095636-1004  
 10292560

<212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 31  
 His Gly Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
                   20                  25                  30

<210> 32  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 32  
 His Ser Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
                   20                  25                  30

<210> 33  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

T0207-0322960

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 33

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Glu
1				5				10					15		
Glu	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20				25					30			

<210> 34

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 34

His	Gly	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20				25					30			

<210> 35

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 35

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Lys	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		

09857892560

20

25

30

<210> 36  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 36  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Leu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 37  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 37  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Lys Lys Xaa Arg  
 20 25 30

<210> 38  
 <211> 30  
 <212> PRT

FOOTING 9292960

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 38

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Lys	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Leu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 39

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = D-Arg

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 39

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Gly	Xaa		
			20					25					30		

<210> 40

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

00857636-10201



<221> VARIANT

<222> 2, 21  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29, 31  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 42  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Xaa Phe Ile Ala Trp Leu Val Lys Xaa Arg Xaa Arg  
 20 25 30

<210> 43  
 <211> 33  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2, 21  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29, 31  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 43  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Xaa Phe Ile Ala Trp Leu Val Lys Xaa Arg Xaa Arg  
 20 25 30

Arg

<210> 44  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

00557636-10001

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 44  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Lys Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Lys Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 45  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 45  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Lys Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 46  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

0365766 110201

<222>

<223> this sequence has an amidated c-terminus

<400> 46

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg	Gly	Arg
			20					25					30		

<210> 47

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 47

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
			20					25					30		

<210> 48

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = D-Arg

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 48

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

TD2011-09-25-00

1                    5                    10                    15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
                   20                    25                    30

<210> 49  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 49  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                    5                    10                    15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg Arg  
                   20                    25                    30

<210> 50  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 50  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                    5                    10                    15  
 Gln Ala Ala Lys Glu Phe Ile Ala Phe Leu Val Lys Xaa Arg  
                   20                    25                    30

<210> 51

00856-1100T-9E/5860

<211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 51  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Phe Leu Val Lys Xaa Arg  
                   20                  25                  30

<210> 52  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 25  
 <223> Xaa = Nal (naphthylalanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 52  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Xaa Leu Val Lys Xaa Arg  
                   20                  25                  30

<210> 53  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29

03857636.10201

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 22, 25

<223> Xaa = Nal (naphthylalanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 53

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10					15	
Gln	Ala	Ala	Lys	Glu	Xaa	Ile	Ala	Xaa	Leu	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 54

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 25

<223> Xaa = Nal (naphthylalanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 54

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10					15	
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Xaa	Leu	Val	Arg	Xaa	Arg		
			20					25					30		

<210> 55

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

0385696-1001  
"92925850"

<400> 55

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10					15	
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Phe	Leu	Val	Arg	Xaa	Arg		
			20					25					30		

<210> 56

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 13, 25

<223> Xaa = Nal (naphthylalanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 56

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Xaa	Leu	Glu	Gly
1				5					10					15	
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Xaa	Leu	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 57

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 6, 25

<223> Xaa = Nal (naphthylalanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 57

His	Xaa	Glu	Gly	Thr	Xaa	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10					15	
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Xaa	Leu	Val	Lys	Xaa	Arg		

T.D.D.T. "92925850



20

25

30

<210> 58  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-decanoyl-lysine

<400> 58  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Xaa  
                   20                  25                  30

<210> 59  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 59  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
                   20                  25                  30

<210> 60  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

03857636-110201

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-dodecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 60  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
                   20                  25                  30

<210> 61  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 31  
 <223> Xaa = O-decanoyl-serine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 61  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg Xaa  
                   20                  25                  30

<210> 62  
 <211> 33  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

035733-1001

<221> VARIANT  
 <222> 2, 21  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29, 31  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 33  
 <223> Xaa = N-epsilon-octanoyl-lysine

<400> 62  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Xaa Phe Ile Ala Trp Leu Val Lys Xaa Arg Xaa Arg  
 20 25 30  
 Xaa

<210> 63  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 31  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 63  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa  
 20 25 30

<210> 64  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

035563-1104  
 "T020T" 9E9/5850

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 31  
 <223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 64  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa  
 20 25 30

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 31  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 65  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa  
 20 25 30

<210> 66  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

00556-1001 "9E925860"

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = A5c (1-amino-1-cyclopentanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 66

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Gly	Arg		
			20					25					30		

<210> 67

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 1

<223> Xaa = Tma-His (N,N-tetramethylamidino-histidine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 67

Xaa	Ala	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Gly	Arg		
			20					25					30		

<210> 68

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

0055763625800

<222> 31  
 <223> Xaa = Aec (4-(2-aminoethyl)-1-carboxymethyl-piperazine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 68

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg	Xaa	
			20				25					30			

<210> 69

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 32

<223> Xaa = Aec (4-(2-aminoethyl)-1-carboxymethyl-piperazine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 69

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg	Gly	Xaa
			20				25					30			

<210> 70

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

05857636-110201

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 31, 32

<223> Xaa = Aec (4-(2-aminoethyl)-1-carboxymethyl-piperazine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 70

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg	Xaa	Xaa
			20					25					30		

<210> 71

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 71

His	Ala	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 72

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 72

His	Ala	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		

0955410301

```
<400> 74
Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly
 1      5      10      15
Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg
```



20

25

30

<210> 75  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 1  
 <223> Xaa = N-alpha-Me-His (N-methyl histidine)

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 75  
 Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 76  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 1  
 <223> Xaa = N-alpha-Me-His (N-alfa-methyl histidine)

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 76  
 Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

00557636-110201

<210> 77  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 77  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 78  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = A5c (1-amino-1-cyclopentanecarboxylic acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 78  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 79  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

FOOTNOTES

<223> Mutagen

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

&lt;222&gt; 29

<223> Xaa = D-Ala

<222>

<223> this sequence has an amidated c-terminus

<400> 79

```

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly
 1                               5               10               15
Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg
          20                   25                   30

```

<210> 80

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A5c (1-amino-1-cyclopentanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 80

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Lys Xaa Arg  
20 25 30

<210> 81

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 24, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 81

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Xaa	Trp	Leu	Val	Lys	Xaa	Arg		
			20				25					30			

<210> 82

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 19, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 82

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Xaa	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20				25					30			

<210> 83

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 10, 14

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 83

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Xaa	Ser	Ser	Tyr	Xaa	Glu	Gly
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

102011-96029360

1                    5                    10                    15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
                  20                    25                    30

<210> 84  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 10, 23, 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 84  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Xaa Ser Ser Tyr Leu Glu Gly  
   1                    5                    10                    15  
 Gln Ala Ala Lys Glu Phe Xaa Ala Trp Xaa Val Lys Xaa Arg  
                  20                    25                    30

<210> 85  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 14, 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 85  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Xaa Glu Gly  
   1                    5                    10                    15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Lys Xaa Arg  
                  20                    25                    30

<210> 86

005566-14001

<211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 14  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 86  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Xaa Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 87  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 87  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Lys Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 88  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 18, 29

TEOCT "SE92360

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 14

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 88

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Xaa	Glu	Gly
1				5				10					15		
Gln	Xaa	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
		20					25					30			

<210> 89

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 23, 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 89

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Xaa	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
		20					25					30			

<210> 90

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 23, 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

035645860

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 90

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Xaa	Ala	Lys	Glu	Phe	Xaa	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
		20					25					30			

<210> 91

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 6

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 91

His	Xaa	Glu	Gly	Thr	Xaa	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
		20					25					30			

<210> 92

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 14

<223> Xaa = Cha (alpha-amino acid cyclohexylalanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

T0001"9E94560



<400> 92

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Xaa Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 93

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 27

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 93

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Xaa Lys Xaa Arg  
 20 25 30

<210> 94

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 10,14

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 94

0055252960

His Xaa Glu Gly Thr Phe Thr Ser Asp Xaa Ser Ser Tyr Xaa Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 95  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 16  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 95  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Xaa  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 96  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 16, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 96  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Xaa  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 97  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

00525260

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 97

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Xaa	Ala	Lys	Glu	Phe	Glu	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
		20						25					30		

<210> 98

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18, 19, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 98

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Xaa	Xaa	Lys	Glu	Phe	Glu	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 99

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

0035763610001

<222> 2, 18, 19, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 10,14, 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 99

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Xaa	Ser	Ser	Tyr	Xaa	Glu	Gly
1				5				10					15		
Glu	Xaa	Xaa	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 100

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus.

<400> 100

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 101

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

00579425860  
T020T 9441000

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A5c (1-amino-1-cyclopentanecarboxylic acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 101

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 102

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 102

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Gln	Xaa	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 103

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 24

<223> Xaa = Aib (alpha-aminoisobutyric acid)

TOCT-9292960

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 103

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10					15	
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Xaa	Trp	Leu	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 104

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 19

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 104

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10					15	
Gln	Ala	Xaa	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 105

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 10, 23, 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

TOPTT" 9E925860

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 105  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Xaa Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Xaa Ala Trp Xaa Val Lys Xaa Arg  
                   20                  25                  30

<210> 106  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 14, 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 106  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Xaa Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Lys Xaa Arg  
                   20                  25                  30

<210> 107  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

TOCT " 21292960

```
<221> VARIANT
<222> 29
<223> Xaa = beta-Ala (beta-alanine)
```

<400> 107  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Xaa Glu Gly  
1 5 10 15  
Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
20 25 30

```
<220>
<223> Mutagen

<221> VARIANT
<222> 2
<223> Xaa = Aib (alpha-aminoisobutyric acid)
```

```
<221> VARIANT
<222>
<223> this sequence has an amidated c-terminus
```

<400> 108  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Lys Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
20 25 30

<220>  
<223> Mutagen

```
<221> VARIANT
<222> 2, 18
<223> Xaa = Aib (alpha-aminoisobutyric acid)
```

<221> VARIANT  
<222> 14



<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 109

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Xaa	Glu	Gly
1				5				10					15		
Gln	Xaa	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
		20					25					30			

<210> 110

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 23, 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 110

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Xaa	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
		20					25					30			

<210> 111

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18

<223> Xaa = Aib (alpha-aminoisobutyric acid)

10201-9925360

```
<221> VARIANT
<222> 29
<223> Xaa = beta-Ala (beta-alanine)
```

```
<221> VARIANT
<222>
<223> this sequence has an amidated c-terminus
```

```

<400> 111
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly
 1              5              10              15
Gln Xaa Ala Lys Glu Phe Xaa Ala Trp Xaa Val Lys Xaa Arg
      20              25              30

```

```
<210> 112
<211> 30
<212> PRT
<213> Artificial Sequence
```

<220>  
<223> Mutagen

```
<221> VARIANT
<222> 2
<223> Xaa = Aib (alpha-aminoisobutyric acid)
```

```
<221> VARIANT
<222> 6
<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)
```

```
<221> VARIANT
<222> 29
<223> Xaa = beta-Ala (beta-alanine)
```

```
<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus
```

<400> 112  
His Xaa Glu Gly Thr Xaa Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
20 25 30

```
<210> 113
<211> 30
<212> PRT
<213> Artificial Sequence
```

<220>  
<223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 14  
 <223> Xaa = Cha (alfa-amino acid- cyclohexylalanine)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 113  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Xaa Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
           20                  25                  30

<210> 114  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 27  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 114  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Xaa Lys Xaa Arg  
           20                  25                  30

<210> 115  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

TOCT "E" 2560

<220>  
<223> Mutagen

<221> VARIANT  
<222> 2  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 16, 29  
<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 115  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Xaa  
1 5 10 15  
Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
20 25 30

<210> 116  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Mutagen  
  
<221> VARIANT  
<222> 2, 16  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 29  
<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 116  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Xaa  
1 5 10 15  
Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
20 25 30

<210> 117  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Mutagen

<221> VARIANT  
<222> 2

00557636-1001

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 117

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Glu	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 118

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 118

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Glu	Xaa	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 119

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

T.D. 2001-09-26 14:09:00

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<223> Xaa = N-epsilon-octanoyl-lysine

<223> Xaa = beta-Ala (beta-alanine)

<223> this sequence has an amidated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Glu Xaa Ala Lys Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
20 25 30

<213> Artificial Sequence

<223> Mutagen

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<223> Xaa = beta-Ala (beta-alanine)

<223> this sequence has an amidated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Glu Xaa Xaa Lys Glu Phe Ile Ala Trp Xaa Val Lys Xaa Arg  
20 25 30

$\langle 210 \rangle$  123

<211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = D-Lys

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 123  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Xaa  
 20 25 30

<210> 124  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 30  
 <223> Xaa = D-Arg

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 124  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Xaa  
 20 25 30

<210> 125  
 <211> 30

FOOT 252560



<212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 30  
 <223> Xaa = D-Lys

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 125  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Xaa  
 20 25 30

<210> 126  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 126  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 127  
 <211> 30  
 <212> PRT

TOCT SE292960

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 127

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20						25					30		

<210> 128

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 128

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20						25					30		

<210> 129

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

09529360

<223> Xaa = beta-Ala (beta-alanine)

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<223> this sequence has a hydroxylated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
20 25 30

<213> Artificial Sequence

## <223> Mutagen

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<223> this sequence has a hydroxylated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa Gly  
20 25 30

<213> Artificial Sequence

## <223> Mutagen

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has a hydroxylated c-terminus

<400> 131

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa	Xaa	
			20				25					30			

<210> 132

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222> 31

<223> Xaa = D-Ala

<221> VARIANT

<222>

<223> this sequence has a hydroxylated c-terminus

<400> 132

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa	Xaa	
			20				25					30			

<210> 133

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2,29,31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

FOOTNOTES

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has a hydroxylated c-terminus

<400> 133

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
			20				25					30			

<210> 134

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 31

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 32

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has a hydroxylated c-terminus

<400> 134

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
			20				25					30			

<210> 135

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2,29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa = N-epsilon-tetradecanoyl-lysine

0055945360

<221> VARIANT

<222>

<223> this sequence has a hydroxylated c-terminus

<400> 135

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Gly	Xaa
			20					25					30		

<210> 136

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222> 31

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has a hydroxylated c-terminus

<400> 136

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Gly	Xaa	Xaa	
			20					25					30		

<210> 137

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<222>

<400> 137

<210> 138

<211> 31

<212> PRT

<213> Artificial Sequence

 $\langle 220 \rangle$ 

## <223> Mutagen

&lt;221&gt; VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 31

<223> Xaa = Ado (12-aminododecanoic acid)

<221> VARIANT

<222>

<223> this sequence has a hydroxylated c-terminus

<400> 138

<210> 139

<211> 31

<212> PRT

<213> Artificial Sequence

 $\langle 220 \rangle$ 

## <223> Mutagen

## <221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 31

<223> Xaa = Ado (12-aminododecanoic acid)

<221> VARIANT

$\langle 222 \rangle$

<223> this sequence has an amidated c-terminus

<400> 139

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa  
 20 25 30

<210> 140  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222> 31  
 <223> Xaa = D- Ala

<221> VARIANT  
 <222>  
 <223> this sequence has a hydroxylated c-terminus

<400> 140  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Gly Xaa Xaa  
 20 25 30

<210> 141  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 31  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 32  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has a hydroxylated c-terminus

<400> 141  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly

09525360



<400> 143  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15

Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
                   20                                  25                                  30

<210> 144  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 144  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                                  10                                  15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
                   20                                  25                                  30

<210> 145  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 145  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                                  10                                  15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
                   20                                  25                                  30

<210> 146  
 <211> 30

TOP SECRET

<212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 146  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 147  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 147  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

TOP SECRET

<210> 148  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 148  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
                   20                  25                  30

<210> 149  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 149  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
                   20                  25                  30

095634-100T-925860

```
<210> 152
<211> 30
<212> PRT
<213> Artificial Sequence
```

<220>  
<223> Mutagen

<221> VARIANT  
<222> 2, 29  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 20  
<223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 152  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
20 25 30

<210> 153  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Mutagen  
  
<221> VARIANT  
<222> 2, 29  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 20  
<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 153  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Lys Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
20 25 30

<210> 154  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Mutagen

<221> VARIANT  
<222> 2, 29

TCCTTGGGCG

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 154

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10					15	
Gln	Ala	Lys	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
			20					25					30		

<210> 155

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 155

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10					15	
Gln	Ala	Lys	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
			20					25					30		

<210> 156

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-octanoyl-lysine

Downloaded from www.jstor.org

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 156

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20						25					30		

<210> 157

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 157

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20						25					30		

<210> 158

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2,29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-hexadecanoyl-lysin

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

TOCT 232560



<400> 158

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20						25					30		

<210> 159

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 159

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20						25					30		

<210> 160

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 160

008576361001

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 161

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 161

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 162

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

TOCTE-CH2580

<223> this sequence has an amidated c-terminus

<400> 162

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20					25					30			

<210> 163

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 163

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20					25					30			

<210> 164

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

T0001" 9E925960

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg

30

```
<210> 169
<211> 30
<212> PRT
```





<222> 28  
 <223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 173  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
 20 25 30

<210> 174  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 174  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Lys Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
 20 25 30

<210> 175  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>

FOOT = 3645960



<223> this sequence has an amidated c-terminus

<400> 175

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Lys	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
		20					25					30			

<210> 176

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 176

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Lys	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
		20					25					30			

<210> 177

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 177

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		

TOP SECRET



<220>  
<223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 182  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Lys Xaa Xaa  
                   20                  25                  30

<210> 183  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 183  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
                   20                  25                  30

<210> 184  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> CONFLICT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

0957636-110201

&lt;221&gt; VARIANT

<223> this sequence has an amidated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Gly Xaa  
20 25 30

<213> Artificial Sequence

## <223> Mutagenen

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<223> this sequence has an amidated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Gly Xaa  
20 25 30

<213> Artificial Sequence

<223> Mutagen

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<223> this sequence has an amidated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly

<210> 191

<220>



<221> VARIANT

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<222> 32

<223> Xaa = N-epsilon-octanoyl-lysine

<222>

<223> this sequence has an amidated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa Xaa  
20 25 30

<211> 32

<213> Artificial Sequence

<223> Mutagen

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<222> 32

<223> Xaa = N-epsilon-decanoyl-lysine

<222>

<223> this sequence has an amidated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa Xaa  
20 25 30

<211> 32

<212> PRT

<213> Artificial Sequence

<223> Mutagen

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<222> 32

&lt;221&gt; VARIANT

<222>

<400> 195

<210> 196

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-octanoyl-lysine

## <221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 196

<210> 197

<211> 30

<212> PRT

<213> Artificial Sequence

 $\langle 220 \rangle$ 

<223> Mutagen

## <221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 197

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Lys	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
		20					25					30			

<210> 198

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 198

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Lys	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
		20					25					30			

<210> 199

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

<223> Xaa = N-epsilon-octanoyl-lysine

<400> 199

00552560

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 200

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 200

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 201

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 201

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

00857636-10001

<210> 204

<211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 204  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
 20 25 30

<210> 205  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 205  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg

FOOTNOTES

20

25

30

<210> 206  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 206  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
           20                  25                  30

<210> 207  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

0057636-110201

<222> 28



<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 209

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Xaa	Xaa	Arg		
			20				25						30		

<210> 210

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 210

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Xaa	Xaa	Arg		
			20				25						30		

<210> 211

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

09564-10201

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 211  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
 20 25 30

<210> 212  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 212  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
 20 25 30

<210> 213  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

09857636-1001

```
<210> 215
<211> 30
<212> PRT
<213> Artificial Sequence
```



<212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 217  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Lys Arg Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
 20 25 30

<210> 218  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 218  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Lys Arg Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
 20 25 30

TOCT-92560

<210> 219  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 219  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
     1                    5                    10                    15  
 Gln Ala Lys Arg Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
                     20                    25                    30

<210> 220  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 220  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly

FOOT = 992590

1                    5                    10                    15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Xaa  
                   20                    25                    30

<210> 221  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 221  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                    5                    10                    15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Xaa  
                   20                    25                    30

<210> 222  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

"T020T" 92929292

<400> 222

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Xaa		
			20					25					30		

<210> 223

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 30

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 223

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Xaa		
			20					25					30		

<210> 224

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

0957536-110201





<223> Xaa = N-epsilon-octanoyl-lysine

<222>

<400> 226

<210> 227

<211> 30

<212> PRT

<213> Artificial Sequence

 $\langle 220 \rangle$ 

## <223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

&lt;222&gt; 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

&lt;221&gt; VARIANT

 $\langle 222 \rangle$ 

<223> this sequence has an amidated c-terminus

<400> 227

<210> 228

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

## <223> Mutagen

<221> VARIANT

 $\langle 222 \rangle$  2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

&lt;222&gt; 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 228

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20					25					30		

<210> 229

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 229

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20					25					30		

<210> 230

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

0957636-10201

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 230

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Lys	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
		20						25					30		

<210> 231

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 231

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Lys	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
		20						25					30		

<210> 232

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

0957636-1000

```
<210> 234
<211> 30
<212> PRT
<213> Artificial Sequence
```

<220>  
<223> Mutagen

<221> VARIANT  
<222> 2  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 29  
<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
<222> 30  
<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 234  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
20 25 30

<210> 235  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Mutagen

<221> VARIANT  
<222> 2  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 29  
<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
<222> 30  
<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 235  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
20 25 30

<210> 236  
<211> 30

09857636-11001

<212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 236  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 237  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222> 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 237  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Xaa Val Arg Xaa Arg  
 20 25 30

FOOTNOTES

<400> 239  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly



1                    5                    10                    15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Xaa Val Arg Xaa Arg  
                   20                    25                    30

<210> 240  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 240  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                    5                    10                    15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
                   20                    25                    30

<210> 241  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

09576361001

<400> 241

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
 20 25 30

<210> 242

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 242

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
 20 25 30

<210> 243

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-octanoyl-lysine

095636 11001

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 243

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Xaa	Xaa	Arg		
		20					25					30			

<210> 244

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 244

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Xaa	Xaa	Arg		
		20					25					30			

<210> 245

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

00551001 SE 1990

<222> 30  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 245  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Lys Xaa Xaa  
 20 25 30

<210> 246  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 246  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Lys Xaa Xaa  
 20 25 30

<210> 247  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 26

0957636-1000

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 247

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Xaa		
			20					25					30		

<210> 248

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 248

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Xaa		
			20					25					30		

<210> 249

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

L020T"9E9Z660

<221> VARIANT  
 <222> 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 249  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Xaa Val Lys Xaa Xaa  
                   20                  25                  30

<210> 250  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 250  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Xaa Val Lys Xaa Xaa  
                   20                  25                  30

<210> 251  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

CCDC 1000000

```
<210> 253
<211> 30
<212> PRT
<213> Artificial Sequence
```

<220>  
<223> Mutagen

<221> VARIANT  
<222> 2, 29  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 26  
<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
<222> 30  
<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 253  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Arg Glu Phe Ile Ala Trp Xaa Val Arg Xaa Xaa  
20 25 30

<210> 254  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Mutagen

<221> VARIANT  
<222> 2, 29  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 26  
<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
<222> 30  
<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 254  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Arg Glu Phe Ile Ala Trp Xaa Val Arg Xaa Xaa  
20 25 30

<210> 255  
<211> 30

095763-1020





<221> VARIANT  
 <222> 2, 18, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 257  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Xaa Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 258  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 18, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 258  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Xaa Ala Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
 20 25 30

<210> 259  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 18, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

095964500

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 259  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Xaa Ala Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
           20                  25                  30

<210> 260  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 18, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 260  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Xaa Ala Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
           20                  25                  30

<210> 261  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 18, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

TOCTHESE90

<222>

<223> this sequence has an amidated c-terminus

<400> 261

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Xaa	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
		20					25					30			

<210> 262

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 262

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Xaa	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
		20					25					30			

<210> 263

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 263

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

008576361001

1                      5                      10                      15  
 Gln Xaa Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
                     20                      25                      30

<210> 264

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 264

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1                      5                      10                      15  
 Glu Xaa Ala Lys Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
                     20                      25                      30

<210> 265

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 265

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1                      5                      10                      15

T0201" 944556

Glu Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
                   20                                  25                                  30

<210> 266  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 266  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                                  5                                  10                                  15  
 Glu Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
                   20                                  25                                  30

<210> 267  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 267  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                                  5                                  10                                  15  
 Glu Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
                   20                                  25                                  30

<210> 268  
 <211> 30

039536-140301

<212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 268  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Glu Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
 20 25 30

<210> 269  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 269  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Glu Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Xaa Xaa Arg  
 20 25 30

<210> 270  
 <211> 30  
 <212> PRT

0957992560

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 270

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
			20					25					30		

<210> 271

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 271

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
			20					25					30		

<210> 272

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

10306362560



<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 272  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Glu Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
                   20                  25                  30

<210> 273  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 273  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Glu Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Xaa  
                   20                  25                  30

<210> 274  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 274

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Xaa		
			20				25					30			

<210> 275

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 275

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Xaa		
			20				25					30			

<210> 276

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

00557492900

<223> this sequence has an amidated c-terminus

<400> 276

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20				25						30		

<210> 277

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 277

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20				25						30		

<210> 278

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 278

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		

Glu Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
           20                          25                          30

<210> 279

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 24, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 279

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Xaa Glu Phe Ile Xaa Trp Leu Val Arg Xaa Arg  
           20                          25                          30

<210> 280

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 24, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 280

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Xaa Glu Phe Ile Xaa Trp Leu Val Arg Xaa Arg  
           20                          25                          30

<210> 281

<211> 30

T0201 = 99925860

<212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 24, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 281  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Xaa Glu Phe Ile Xaa Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 282  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2, 24, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 282  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Xaa Trp Leu Val Xaa Xaa Arg  
 20 25 30

<210> 283  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

TOPT 92560

```
<221> VARIANT
<222> 2, 24, 29
<223> Xaa = Aib (alpha-aminoisobutyric acid)
```

```
<221> VARIANT
<222>
<223> this sequence has an amidated c-terminus
```

```
<210> 286
<211> 30
<212> PRT
<213> Artificial Sequence
```

```
<221> VARIANT
<222> 2, 24, 29
<223> Xaa = Aib (alpha-aminoisobutyric acid)
```

```
<221> VARIANT
<222>
<223> this sequence has an amidated c-terminus
```

```
<210> 287
<211> 30
<212> PRT
<213> Artificial Sequence
```

```
<221> VARIANT
<222> 2, 24, 29
<223> Xaa = Aib (alpha-aminoisobutyric acid)
```

```
<221> VARIANT
<222> 30
<223> Xaa = N-epsilon-hexadecanoyl-lysine
```

<221> VARIANT

<223> this sequence has an amidated c-terminus

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10					15	
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Xaa	Trp	Leu	Val	Arg	Xaa	Xaa		
			20					25					30		

<213> Artificial Sequence

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<223> Xaa = N-epsilon-octanoyl-lysine

<223> this sequence has an amidated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Glu Ala Ala Lys Glu Phe Ile Ala Trp Xaa Val Lys Xaa Xaa  
20 25 30

<213> Artificial Sequence

<223> Mutagen

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<222> 30



<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 289

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Xaa		
			20				25					30			

<210> 290

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 290

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Xaa	Val	Lys	Xaa	Xaa		
			20				25					30			

<210> 291

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

090536 44001

<222> 30

&lt;221&gt; VARIANT

<222>

<400> 291

<210> 292

<211> 30

<212> PRT

<220>

<221> VARIANT

<222> 2, 29

## <221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

## <221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 292

<210> 293

<211> 30

<212> PRT

<213> Artificial Sequence

 $\langle 220 \rangle$ 

## <223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

&lt;221&gt; VARIANT

<222> 2, 18, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 295  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Glu Xaa Ala Arg Glu Phe Ile Ala Trp Xaa Val Arg Xaa Xaa  
                   20                  25                  30

<210> 296  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 18, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 26  
 <223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 296  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Glu Xaa Ala Arg Glu Phe Ile Ala Trp Xaa Val Arg Xaa Xaa  
                   20                  25                  30

<210> 297  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>

0055636 1004  
 0055636 1004

<223> Mutagen

<221> VARIANT

<222> 2, 18, 24, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-octanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 297

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Xaa	Ala	Arg	Glu	Phe	Ile	Xaa	Trp	Xaa	Val	Arg	Xaa	Xaa		
			20					25					30		

<210> 298

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18, 24, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 26

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-tetradecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 298

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Xaa	Ala	Arg	Glu	Phe	Ile	Xaa	Trp	Xaa	Val	Arg	Xaa	Xaa		
			20					25					30		

<210> 299

<211> 30

<212> PRT

TOCT 2001

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 18, 24, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa = A6c (1-amino-1-cyclohexanecarboxylic acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-hexadecanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 299

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Glu	Xaa	Ala	Arg	Glu	Phe	Ile	Xaa	Trp	Xaa	Val	Arg	Xaa	Xaa		
			20				25					30			

<210> 300

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 1

<223> Xaa = N alfa-HEPES-His  
(N-alpha-(4-(2-hydroxyethyl)-1-piperazine-ethanesu  
lfonic  
acid)-histidine

<221> VARIANT

<222> 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 300

Xaa	Ala	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20				25					30			

0952560

<210> 301  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 1  
 <223> Xaa = N alfa-HEPES-His  
 (N-alpha-(4-(2-hydroxyethyl)-1-piperazine-ethanesu  
 lfonic  
 acid)-histidine

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 301  
 Xaa Ala Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 302  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 1  
 <223> Xaa = N alfa-HEPES-His  
 (N-alpha-(4-(2-hydroxyethyl)-1-piperazine-ethanesu  
 lfonic  
 acid)-histidine

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

09857636-10201

<400> 302

Xaa	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 303

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 1

<223> Xaa = N alfa-HEPA-His  
(N-alpha-(4-(2-hydroxyethyl)-1-piperazineacetyl)-  
histidine

<221> VARIANT

<222> 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 303

Xaa	Ala	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Xaa	Arg		
			20					25					30		

<210> 304

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 1

<223> Xaa = N alfa-HEPA-His  
(N-alpha-(4-(2-hydroxyethyl)-1-piperazineacetyl)-  
histidine

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

098578-1404



Xaa Ala Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
20 25 30

<211> 30

<213> Artificial Sequence

## <223> Mutagen

 $\langle 222 \rangle$  1

(N-alpha-(4-(2-hydroxyethyl)-1-piperazineacetyl)-  
histidine

<222> 2

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<222>

<223> this sequence has an amidated c-terminus

Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
20 25 30

<211> 30

<213> Artificial Sequence

## <223> Mutagen

$\langle 222 \rangle$  1

<223> Xaa = N alfa-tetradecanoyl- histadine

<222> 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<222>

<223> this sequence has an amidated c-terminus

<400> 306

Xaa Ala Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 307

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 1

<223> Xaa = N alfa-tetradecanoyl- histadine

<221> VARIANT

<222> 29

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 307

Xaa Ala Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
 20 25 30

<210> 308

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 1

<223> Xaa = N alfa-tetradecanoyl- histadine

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 308

Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg

FOOT" 982560

20

25

30

<210> 309  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 1  
 <223> Xaa = N alfa-tetradecanoyl- histadine

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 309  
 Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Xaa Arg  
                   20                  25                  30

<210> 310  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 1  
 <223> Xaa = N alfa-tetradecanoyl- histadine

<221> VARIANT  
 <222> 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 310  
 Xaa Ala Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
                   20                  25                  30

09557636-10301

```
<210> 313
<211> 30
<212> PRT
<213> Artificial Sequence
```

<220>  
<223> Mutagen

<221> VARIANT  
<222> 1  
<223> Xaa = N alfa-tetradecanoyl- histadine

<221> VARIANT  
<222> 2  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 29  
<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 313  
Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
20 25 30

<210> 314  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Mutagen

<221> VARIANT  
<222> 1  
<223> Xaa = N alfa-tetradecanoyl- histadine

<221> VARIANT  
<222> 29  
<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 314  
Xaa Ala Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
20 25 30

<210> 315  
<211> 30  
<212> PRT  
<213> Artificial Sequence

00857536 "110001"



<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-octanesulfonyl- lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 317

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
			20					25					30		

<210> 318

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = N-epsilon-dodecanesulfonyl- lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 318

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
			20					25					30		

<210> 319

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

00557636-10201

<221> VARIANT  
 <222> 20  
 <223> Xaa = N-epsilon-hexadecanesulfonyl-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 319  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
                   20                  25                  30

<210> 320  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-octanesulfonyl- lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 320  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                  5                  10                  15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
                   20                  25                  30

<210> 321  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa = N-epsilon-dodecanesulfonyl- lysine

FOOT " 9234560



<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 321

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
			20				25						30		

<210> 322

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa = N-epsilon-hexadecanesulfonyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 322

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
			20				25						30		

<210> 323

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-octanesulfonyl- lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 323

T030T SE22360

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 324

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-hexadecanesulfonyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 324

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 325

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = 1-(4-decyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 325

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

FOOTNOTES

<210> 326  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = 1-(4-dodecyl-piperazine)- asparagines

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 326  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 327  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 20  
 <223> Xaa = 1-(4-tetradecyl-piperazine)-asparagines

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 327  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 328  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

09057636-10001

<220>  
<223> Mutagen

<221> VARIANT  
<222> 2, 29  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 20  
<223> Xaa = 1-(4-hexadecyl-piperazine)- asparagines

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 328  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
20 25 30

<210> 329  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Mutagen  
  
<221> VARIANT  
<222> 2, 29  
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
<222> 28  
<223> Xaa = 1-(4-decyl-piperazine)- asparagines

<221> VARIANT  
<222>  
<223> this sequence has an amidated c-terminus

<400> 329  
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
20 25 30

<210> 330  
<211> 30  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Mutagen

<221> VARIANT  
<222> 2, 29

FOOT 912580



<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 332

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
			20					25					30		

<210> 333

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = 1-(4-decyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 333

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20					25					30		

<210> 334

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = 1-(4-dodecyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

TOCT "GAGGGO

&lt;400&gt; 334

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20					25					30		

&lt;210&gt; 335

&lt;211&gt; 30

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Mutagen

&lt;221&gt; VARIANT

&lt;222&gt; 2, 29

&lt;223&gt; Xaa = Aib (alpha-aminoisobutyric acid)

&lt;221&gt; VARIANT

&lt;222&gt; 30

&lt;223&gt; Xaa = 1-(4-hexadecyl-piperazine)- asparagines

&lt;221&gt; VARIANT

&lt;222&gt;

&lt;223&gt; this sequence has an amidated c-terminus

&lt;400&gt; 335

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20					25					30		

&lt;210&gt; 336

&lt;211&gt; 32

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Mutagen

&lt;221&gt; VARIANT

&lt;222&gt; 2, 29

&lt;223&gt; Xaa = Aib (alpha-aminoisobutyric acid)

&lt;221&gt; VARIANT

&lt;222&gt; 32

&lt;223&gt; Xaa = 1-(4-decyl-piperazine)- asparagines

&lt;221&gt; VARIANT

&lt;222&gt;

&lt;223&gt; this sequence has an amidated c-terminus

&lt;400&gt; 336

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa	Gly	Xaa
			20					25					30		

T020T " 92292560

```
<210> 339
<211> 32
<212> PRT
<213> Artificial Sequence
```



<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa = 1-(4-hexadecyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 339

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10				15			
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa	Gly	Xaa
			20					25						30	

<210> 340

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa = 1-(4-decyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 340

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10				15			
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa	Xaa	Xaa
			20					25						30	

<210> 341

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

09651636-11001



<223> Xaa = 1-(4-hexadecyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 343

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa	Xaa	Xaa
			20				25					30			

<210> 344

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2,29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = 1-(4-decyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 344

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
			20				25					30			

<210> 345

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = 1-(4-dodecyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

TOCT-345-344

<400> 345

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 346

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = 1-(4-tetradecyl-piperazine)-asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 346

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg  
 20 25 30

<210> 347

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa = 1-(4-hexadecyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<400> 347

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Xaa Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg

"T020T" 9292960

30

```
<220>
<223> Mutagen

<221> VARIANT
<222> 2, 29
<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT
<222> 28
<223> Xaa = 1-(4-decyl-piperazine)- asparagines

<221> VARIANT
<222>
<223> this sequence has an amidated c-terminus
```

```
<210> 349
<211> 30
<212> PRT
<213> Artificial Sequence
```

```

<400> 349
His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly
 1          5          10          15
Gln Ala Arg Arg Phe Ile Ala Trp Leu Val Xaa Xaa Arg
      20          25          30

```

```
<210> 350
<211> 30
<212> PRT
```

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa = 1-(4-tetradecyl-piperazine)-asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 350

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
		20						25					30		

<210> 351

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa = 1-(4-hexadecyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 351

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
		20						25					30		

<210> 352

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

006592560







<222>

<223> this sequence has an amidated c-terminus

<400> 356

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10				15			
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Gly	Xaa
		20						25				30			

<210> 357

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa = 1-(4-dodecyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<400> 357

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10				15			
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Gly	Xaa
		20						25				30			

<210> 358

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa = 1-(4-tetradecyl-piperazine)-asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 358

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

005561001

1                    5                    10                    15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Gly Xaa  
                   20                    25                    30

<210> 359

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa = 1-(4-hexadecyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 359

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                    5                    10                    15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Gly Xaa  
                   20                    25                    30

<210> 360

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa = 1-(4-decyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 360

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                    5                    10                    15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa Xaa  
                   20                    25                    30

<210> 361

095755-10901

<211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29, 31  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 32  
 <223> Xaa = 1-(4-dodecyl-piperazine)- asparagines

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 361  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa Xaa  
 20 25 30

<210> 362  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29, 31  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 32  
 <223> Xaa = 1-(4-tetradecyl-piperazine)-asparagines

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 362  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa Xaa  
 20 25 30

<210> 363  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>

0957636-10201

<223> Mutagen

<221> VARIANT

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa = 1-(4-hexadecyl-piperazine)- asparagines

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 363

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10				15			
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
		20						25				30			

<210> 364

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = 1-dodecylamino-glutamine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 364

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10				15			
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20					25				30			

<210> 365

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

009596629860  
T020T "110201

<222> 20

<221> VARIANT

<222>

<400> 365

<210> 366

<211> 30

<212> PRT

<220>

<221> VARIANT

<222> 2, 29

<221> VARIANT

<222> 28

## <221> VARIANT

<222>

<400> 366

<210> 367

<211> 32

<212> PRT

$\langle 220 \rangle$

## <221> VARIANT

<222> 2, 29, 31

<221> VARIANT

<222> 32

<223> Xaa = 1-dodecylamino-glutamine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 367

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10				15			
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
			20					25				30			

<210> 368

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa =  
N-epsilon-(2-(4-decyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 368

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10				15			
Gln	Ala	Ala	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
			20					25				30			

<210> 369

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa =  
N-epsilon-(2-(4-dodecyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

<222>

00557636-10001

<223> this sequence has an amidated c-terminus

<400> 369

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20						25				30			

<210> 370

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa =

N-epsilon-(2-(4-tetradecyl-1-piperazine)-acetyl)lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 370

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20						25				30			

<210> 371

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa =

N-epsilon-(2-(4-hexadecyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

FOR "369" 369

<400> 373



His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
 20 25 30

<210> 374  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa =  
 N-epsilon-(2-(4-tetradecyl-1-piperazine)-acetyl)ly  
 sine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 374  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
 20 25 30

<210> 375  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa =  
 N-epsilon-(2-(4-hexadecyl-1-piperazine)-acetyl)-ly  
 sine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 375  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly

0985736-1000

1                    5                    10                    15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
                   20                    25                    30

<210> 376

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa =

N-epsilon-(2-(4-decyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 376

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1                    5                    10                    15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
                   20                    25                    30

<210> 377

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa =

N-epsilon-(2-(4-dodecyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 377

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1                    5                    10                    15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa

00857636-10201

20

25

30

&lt;210&gt; 378

&lt;211&gt; 30

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Mutagen

&lt;221&gt; VARIANT

&lt;222&gt; 2, 29

&lt;223&gt; Xaa = Aib (alpha-aminoisobutyric acid)

&lt;221&gt; VARIANT

&lt;222&gt; 30

&lt;223&gt; Xaa =

N-epsilon-(2-(4-hexadecyl-1-piperazine)-acetyl)-lysine

&lt;221&gt; VARIANT

&lt;222&gt;

&lt;223&gt; this sequence has an amidated c-terminus

&lt;400&gt; 378

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		

Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa
			20				25					30	

&lt;210&gt; 379

&lt;211&gt; 32

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Mutagen

&lt;221&gt; VARIANT

&lt;222&gt; 2, 29

&lt;223&gt; Xaa = Aib (alpha-aminoisobutyric acid)

&lt;221&gt; VARIANT

&lt;222&gt; 32

&lt;223&gt; Xaa =

N-epsilon-(2-(4-decyl-1-piperazine)-acetyl)-lysine

&lt;221&gt; VARIANT

&lt;222&gt;

&lt;223&gt; this sequence has an amidated c-terminus

&lt;400&gt; 379

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		

Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Gly	Xaa
			20				25					30			

T.D.OT. 378/379

<210> 380  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 32  
 <223> Xaa =  
 N-epsilon-(2-(4-dodecyl-1-piperazine)-acetyl)-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 380  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Gly Xaa  
 20 25 30

<210> 381  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 32  
 <223> Xaa =  
 N-epsilon-(2-(4-tetradecyl-1-piperazine)-acetyl)lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 381  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Gly Xaa  
 20 25 30

<210> 382

00857636-1030

```
<210> 384
<211> 32
<212> PRT
```

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa =  
N-epsilon-(2-(4-dodecyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 384

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
			20					25					30		

<210> 385

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa =  
N-epsilon-(2-(4-tetradecyl-1-piperazine)-acetyl)lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 385

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
			20					25					30		

<210> 386

<211> 32

<212> PRT

<213> Artificial Sequence

TOCT 98/980

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa =  
N-epsilon-(2-(4-hexadecyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 386

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
			20					25					30		

<210> 387

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa =  
N-epsilon-(2-(4-decyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 387

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
			20					25					30		

<210> 388

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

TOP SECRET

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa =  
N-epsilon-(2-(4-dodecyl-1-piperazine)-acetyl)-lysi  
ne

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 388

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20						25					30		

<210> 389

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 20

<223> Xaa =  
N-epsilon-(2-(4-tetradecyl-1-piperazine)-acetyl)ly  
sine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 389

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Xaa	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg		
		20						25					30		

<210> 390

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

0055792960





<222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)  
 <221> VARIANT  
 <222> 28  
 <223> Xaa =  
 N-epsilon-(2-(4-dodecyl-1-piperazine)-acetyl)-lysi  
 ne

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 392  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
 20 25 30

<210> 393  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 28  
 <223> Xaa =  
 N-epsilon-(2-(4-tetradecyl-1-piperazine)-acetyl)ly  
 sine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 393  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Xaa Xaa Arg  
 20 25 30

<210> 394  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29

102011 092590

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa =  
N-epsilon-(2-(4-hexadecyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 394

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Xaa	Xaa	Arg		
		20						25					30		

<210> 395

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa =  
N-epsilon-(2-(4-decyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 395

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
		20						25					30		

<210> 396

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

00557636-1001

<221> VARIANT  
 <222> 30  
 <223> Xaa =  
 N-epsilon-(2-(4-dodecyl-1-piperazine)-acetyl)-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 396  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 397  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 30  
 <223> Xaa =  
 N-epsilon-(2-(4-tetradecyl-1-piperazine)-acetyl)lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 397  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 398  
 <211> 30  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

00857636-11004

<222> 30  
 <223> Xaa =  
 N-epsilon-(2-(4-hexadecyl-1-piperazine)-acetyl)-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 398  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
 20 25 30

<210> 399  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 32  
 <223> Xaa =  
 N-epsilon-(2-(4-decyl-1-piperazine)-acetyl)-lysine

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 399  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
 1 5 10 15  
 Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Gly Xaa  
 20 25 30

<210> 400  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen  
 <221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 32  
 <223> Xaa =

00556361001  
 00201 00201 00201

<221> VARIANT

<223> this sequence has an amidated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Gly Xaa  
20 25 30

<211> 32

<213> Artificial Sequence

<223> Mutagen

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<222> 32

N-epsilon-(2-(4-tetradecyl-1-piperazine)-acetyl)lysine

<222>

<223> this sequence has an amidated c-terminus

His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
1 5 10 15  
Gln Ala Arg Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Gly Xaa  
20 25 30

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

## <221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

&lt;221&gt; VARIANT

<222> 32

<223> Xaa =

N-epsilon-(2-(4-hexadecyl-1-piperazine)-acetyl)-ly

sine

&lt;221&gt; VARIANT

&lt;222&gt;

&lt;223&gt; this sequence has an amidated c-terminus

&lt;400&gt; 402

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Gly	Xaa
		20						25					30		

&lt;210&gt; 403

&lt;211&gt; 32

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Mutagen

&lt;221&gt; VARIANT

&lt;222&gt; 2, 29, 31

&lt;223&gt; Xaa = Aib (alpha-aminoisobutyric acid)

&lt;221&gt; VARIANT

&lt;222&gt; 32

&lt;223&gt; Xaa =

N-epsilon-(2-(4-decyl-1-piperazine)-acetyl)-lysine

&lt;221&gt; VARIANT

&lt;222&gt;

&lt;223&gt; this sequence has an amidated c-terminus

&lt;400&gt; 403

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
		20						25					30		

&lt;210&gt; 404

&lt;211&gt; 32

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Mutagen

&lt;221&gt; VARIANT

&lt;222&gt; 2, 29, 31

&lt;223&gt; Xaa = Aib (alpha-aminoisobutyric acid)

&lt;221&gt; VARIANT

&lt;222&gt; 32

&lt;223&gt; Xaa =

N-epsilon-(2-(4-dodecyl-1-piperazine)-acetyl)-lysine

FOOTNOTES 11036 09092960

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 404

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
		20					25					30			

<210> 405

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa =  
N-epsilon-(2-(4-tetradecyl-1-piperazine)-acetyl)lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 405

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
		20					25					30			

<210> 406

<211> 32

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29, 31

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 32

<223> Xaa =  
N-epsilon-(2-(4-hexadecyl-1-piperazine)-acetyl)-lysine

<221> VARIANT

T0221-0223-0224



<222>

<223> this sequence has an amidated c-terminus

<400> 406

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Arg	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	Xaa
		20						25					30		

<210> 407

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an hydroxydated c-terminus

<400> 407

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Xaa		
			20					25					30		

<210> 408

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 2, 29

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an hydroxydated c-terminus

<400> 408

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

10207" 96949960

1                      5                      10                      15  
 Gln Ala Lys Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Xaa  
                     20                      25                      30

<210> 409  
 <211> 32  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2, 29  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 31  
 <223> Xaa = Ava (5-aminovaleric acid)

<221> VARIANT  
 <222> 32  
 <223> Xaa = Ado (12-aminododecanoic acid)

<221> VARIANT  
 <222>  
 <223> this sequence has an amidated c-terminus

<400> 409  
 His Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly  
   1                      5                      10                      15  
 Gln Ala Ala Arg Glu Phe Ile Ala Trp Leu Val Arg Xaa Arg Xaa Xaa  
                     20                      25                      30

<210> 410  
 <211> 31  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Mutagen

<221> VARIANT  
 <222> 2  
 <223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT  
 <222> 29  
 <223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT  
 <222> 31  
 <223> Xaa = N-epsilon-dodecanoyl-lysine

<221> VARIANT  
 <222>

T0001-924560

<400> 410

His	Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5				10					15		
Gln	Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa	
			20					25					30		

<210> 411

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 1

<223> Xaa = Aib (alpha-aminoisobutyric acid)

<221> VARIANT

<222> 28

<223> Xaa = beta-Ala (beta-alanine)

<221> VARIANT

<222> 30

<223> Xaa = N-epsilon-decanoyl-lysine

<221> VARIANT

<222>

<223> this sequence has an amidated c-terminus

<400> 411

Xaa	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly	Gln
1				5				10					15		
Ala	Ala	Arg	Glu	Phe	Ile	Ala	Trp	Leu	Val	Arg	Xaa	Arg	Xaa		
			20					25					30		

<210> 412

<211> 33

<212> PRT

<213> Artificial Sequence

<220>

<223> Exemplary motif

<221> VARIANT

<222> 1

<223> Xaa = L-His, Ura, Paa, Pta, Amp, Tma-His,  
Des-amino-His, or deleted

<221> VARIANT

<222> 2

<223> Xaa = Ala, D-Ala, Aib, Acc, N-Me-Ala, N-Me-D-Ala,  
or N-Me-Gly

<221> VARIANT

<222> 3

<223> Xaa = Glu, N-Me-Glu, N-Me- Asp, or Asp

"1001" 93/550

<221> VARIANT

<222> 4

<223> Xaa = Gly, Acc, beta-Ala, or Aib

<221> VARIANT

<222> 5

<223> Xaa = Thr, or Ser

<221> VARIANT

<222> 6

<223> Xaa = Phe, Acc, Aic, Aib, 3-Pal, 4-Pal, beta-Nal, Cha, Trp, or X1-Phe

<221> VARIANT

<222> 7

<223> Xaa = Thr, or Ser

<221> VARIANT

<222> 8

<223> Xaa = Ser, or Aib

<221> VARIANT

<222> 9

<223> Xaa = Asp, or Glu

<221> VARIANT

<222> 10

<223> Xaa = Val, Acc, Aib, Leu, Ile, Tle, Nle, Abu, Ala, or Cha

<221> VARIANT

<222> 11

<223> Xaa = Ser, or Thr

<221> VARIANT

<222> 12

<223> Xaa = Ser, or Thr

<221> VARIANT

<222> 13

<223> Xaa = Tyr, Cha, Phe, 3-Pal, 4-Pal, Acc, beta-Nal, or X1-Phe

<221> VARIANT

<222> 14

<223> Xaa = Leu, Acc, Aib, Nle, Ile, Cha, Tle, Val, Phe, or X1-Phe

<221> VARIANT

<222> 15

<223> Xaa = Glu, or Asp

<221> VARIANT

<222> 16

<223> Xaa = Gly, Acc, beta-Ala, Glu, or Aib

<221> VARIANT

<222> 17

<223> Xaa = Gln, Asp, Asn, or Glu

098576-1100  
T020T-9E2960

<222> 18

<221> VARIANT

<223> Xaa = Ala, Aib, Val, Abu, Tle, Acc, Lys, Arg, hArg, Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R10-R11))-C(O), OR NH-CH((CH<sub>2</sub>)<sub>e</sub>-X3)-C(O)

<222> 20

## <221> VARIANT

<222> 21

<221> VARIANT

<222> 22

<221> VARIANT

<222> 23

## <221> VARIANT

<222> 24

<221> VARIANT

<222> 25

&lt;221&gt; VARIANT

<222> 26

<221> VARIANT

&lt;222&gt; 27

&lt;221&gt; VARIANT

<222> 28

<221> VARIANT

&lt;222&gt; 29

<221> VARIANT

<222> 30

<223> Xaa = L-or D-Arg, D-or L-Lys, D-or L-hArg, D-or L-Orn, HN-CH((CH2)n-N(R10-R11))-C(O), NH-CH((CH2)e-X3)-C(O) or deleted

<221> VARIANT

<222> 31

<223> Xaa = Gly, beta-Ala, Gaba, Ava, Aib, Acc, Ado, Arg, Asp, Aun, Aec, NH-(CH<sub>2</sub>)<sub>m</sub>-C(O), HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R10-R11))-C(O), a D-amino acid, or deleted

<221> VARIANT

<222> 32

<223> Xaa = D-or L-Lys, D-or L-Arg, D-or L-hArg, D-or L-Orn, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R10-R11))-C(O), NH-CH((CH<sub>2</sub>)<sub>e</sub>-X3)-C(O)Ava, Ado, Aec, or deleted

<221> VARIANT

<222> 33

<223> Xaa = D-or L-Lys, D-or L-Arg, HN-CH((CH<sub>2</sub>)<sub>n</sub>-N(R10-R11))-C(O), Ava, Ado, or Aec

<400> 412

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10					15		
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
			20					25						30		
Xaa																

<210> 413

<211> 31

<212> PRT

<213> Homo sapiens

<400> 413

His	Ala	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Gly	Arg	Gly	
			20					25					30		

<210> 414

<211> 32

<212> PRT

<213> Homo sapiens

<400> 414

His	Ala	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10				15		
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Gly	Arg	Gly	Arg
			20					25					30		

<210> 415

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Mutagen

<221> VARIANT

<222> 13

<223> Xaa = 125I radiolabeled Tyr

TOGETHER 1020

&lt;400&gt; 415

His	Ala	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Xaa	Leu	Glu	Gly
1				5				10						15	
Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Gly	Arg		
			20					25					30		

09857636-11001